Classified Contents

Abrasion characteristics, of coals, 1285
Acetylation, used to quantitate OH groups in preasphaltenes and asphaltenes from coal hydrogenation, 848
Acoustic wave velocities, correln with bitumen content of oil sands, 240
Adsorption, of Boscan porphyrins on MoO_3, Co_3O_4 and Co-Mo/Al_2O_3, mechanism of, 13
Alkylation, coal, with alcohols: solubility increase, 1131
– liquid-phase, of Assam coal, 1286
– reductive, of a bit. coal, examined by resolution enhanced solid state ^{13}C-n.m.r. spectroscopy, 53
– – of IL No. 6 coal, in ethereal solvents, 250
– – – in liq. NH_3, 700
– – – ^1H and ^{13}C n.m.r. spectra of ^{13}C-enriched products, 1088
– – in structural study of coals using directly-prepared potassium-coal adducts, 58
Analysis, of coal-derived materials, for oil, asphaltene and pre-asphaltene content, 1168
– proximate, of coals and cokes using thermogravimetry, 713
Anthracites, ^{13}C n.m.r. spectra simplified by ^{13}C and ^1H dipolar dephasing, 1233
– flash pyrolysis of, 807
Aromatic compounds, chemistry of methane formn in hydrogasifcn of, 499, 505, 510
Aryl-alkyl groups, in coals, 490
Ash determination, bit. coals, in correln with silicon, 150
Asphalts, cracking of: catalytic effects of liq. metals at low temp., 542
Asphaltenes, chem. nature and water/oil emulsifying props., 732
– from coal hydrogenation: use of acetylation to quantitate OH groups in, 848
– liquid, mesophase formn in coal-derived, 383
Asphaltites, Turkish characterizn of pyrolysis products of, and comparison with solvent extracts, 346
Atomization, of fluid fuels, 1135

Bibenzyl, dissociation constant measured by e.s.r., 1254
Biomass, liqn of sugar cane bagasse with HCO_2Na in water, 106
Bitumen(s), from Athabasca oil sands, effect of $Ca(OH)_2$ on coking of, 169
– correln of content in oil sands with acoustic wave velocities, 240
– methods for extn from oil sands, 477
– tar-sand, chem. structure by ^{13}C and ^1H n.m.r. spectra, 402
Bituminous products, volatility test for, 430
Boilers, pulverized-coal-fired, alkali/ash reactions and deposit formn in, 87, 93
Book reviews, 100, 308, 485, 573, 677
Boron, pyrotechnic reaction with PbO: heats of reaction and DSC studies, 843
Briquetting, water hyacinth densification characteristics, 791

Calcium, used as a steam gasifcn catalyst, 620
Carbon(s), bridgehead aromatic, detn of in coal-derived materials using ^{13}C and ^1H n.m.r. spectra, 193
– residual, characterizn in retorted oil shale by solid-state ^{13}C n.m.r., 341
Carbon dioxide, emissions from a coal-burning power plant, control of, 415
– gasifcn of met. coke, influence of coal characteristics on, 717
Carbon monoxide, methanation of, prevention of catalyst deactivn caused by coke formn in, 537
Carbonization, co-, of SRC fractions with a non-coking coal, 390
– – to form anisotropic cokes, 587, 595
Carboxylic acids, characterizn of *in-situ* oil shale retort waters by g.c.–m.s., 227
Catalysis, coal liqn model based on metal halide catalysed hydrogenation of coal, 201
– of hydrocracking of phenanthrene, using $ZnCl_2$ with other metal chlorides, 124
– hydrogenation of coals coated with chloride binary catalyst melts, 18
– synergistic effect, in hydrogenation of Victorian brown coals, 121
– tin-catalysed hydrogenation of brown coals, 831
Catalysts, adsn mechanism of Boscan porphyrins on, 13
– assessmt of activities in coal liqn by means of H_2 evolution, 199
– coal-liqn. *See* Coal liquefaction
– Co-Mo-Al_2O_3, behaviour in hydrodeoxygenation of phenols, 1021
– contg copper chromite, effect on thermal decompn of composite solid propellant, 129
– contg $ZnCl_2$ or $SnCl_2$, for coal hydrogenation in absence of solvent, 1119
– effect of added $Ru_3(CO)_{12}$ on indirect hydrogenation of cellulose, 873
– effects of, in coal liqn, 919
– iron, in bench-scale continuous hydrogenation of Australian coals, 912
– iron- and tin-based, in brown-coal hydrogenation, 939
– Lewis acid: effects on hydrogenation of coal-related structures, 745
– steam-gasifcn, behaviour of Ca as a, 620
– sulphided CoO-MoO_3-Al_2O_3, in hydrotreating a distillate liq. from subbit. coal, 1110
Catalyst deactivation, caused by coke formn in CO methanation, prevention of, 537
Catalytic activity, of coal minerals in water vapour gasifcn of coal, 291
– of Fe_2O_3 for hydrocracking of bit. coal, effect of SO_4^{2-} on, 389
Catalytic effects, of liquid metals for low-temp. asphalt-cracking, 542
Catechol, unusual effects upon hydroliqn of coal, 865
Cellulose, effect of added $Ru_3(CO)_{12}$ on indirect hydrogenation of, 873
Chars, effects of overhtg and C burn-off on performance of fluidized-bed combustors, 298
– HyPy, thermogravimetric study of devolatilizn, 725
Chemical model, for coal oxidn kinetics, 29, 35
Chemical reactions, of Texas lignite liqn in H-donor solvent system, 351
Chemical structure, of coal hydrogenation products, effect of conditions on, 321
Chevron coal liquefaction process (CCLP), 1045
Clay minerals, in coal, identifcn by selective cation saturation, 463
Cleaning, coals: electro-osmotic dewatering of froth flotation concentrates, 780
– – washing, influence of coagulants and flocculants on contact angles of surfaces, 166
Coagulants, influence on contact angles of coal surfaces, 166
Coals, abrasion characteristics, 1285
– alkylation. *See* Alkylation
– analysis, proximate, using thermogravimetry, 713
– – using ^{13}C CP/MAS technique, 651
– aryl-alkyl groups in, 490
– auto-desulphurizn by weathering, 204
– carbonization. *See* Carbonization
– chem. characterizn, by magic-angle ^{13}C n.m.r., 393
– – qual. and quant. aspects of reductive methylation, 423
– chem. and phys. props., European research, 570
– clay minerals in, identifcn by selective cation saturation, 463
– cleaning. *See* Cleaning
– coking, influence of characteristics on CO_2 gasifcn, 717
– Deno oxidation, 1085
– desulphurization using solns contg cupric ions, 871
– devolatilization, in fluidized-bed combustors, 771
– – kinetic studies of, apparatus for, 1207
– e.s.r. from impurities in coal-derived pyrite, 396
– e.s.r. study of pyrolysis vapour of, 1124
– gasification. *See* Gasification
– grinding in CO_2 vapour, 1230
– hydrogenation. *See* Hydrogenation
– hydrogenolysis in presence of NaOH, 627
– hydropyrolysis of high-2–high-calcite subbit.: catalytic effect of calcite on yields, 447
– – effect of min. matter on S behaviour, 453
– hydroxyl concns detd by FTIR, 663
– liquefaction. *See* Coal liquefaction
– low-temp. ashing, comparison of microwave and radiofrequency methods, 1267
– macerals. *See* Macerals
– mechanical props. due to gas and vapour sorption, 1281
– molecular phases in, e.p.r. study, 433
– Mössbauer study of thermal decompn of FeS_2 in, 523
– new X-ray structural parameter for, 695
– nitrogen in, fate of during combustion, 1218
– oxidation kinetics, chem. model, 29, 35
– – – and chem. reactions, 29
– /oxygen-fired power plant, control of CO_2 emissions from, 415
– porosity of, effect on ignition and thermal decompn, 634
– powdered, diffuse reflectance FTIR spectrometry of, 529
– proton dynamic polarizn and proton–carbon cross-polarizn in, 398
– pyridine extracts of, CO_2 extn of retained pyridine, 1170
– space-filling models, 1080
– specific heat detn by DSC, 437

BEST COPY AVAILABLE FOR REPRODUCTION

BEST COPY AVAILABLE FOR REPRODUCTION

- structural study using directly-prepared potassium–coal adducts, 58
- surface of, compositional and structural study using a laser microprobe mass detector, 1241
- trace elements detd by oxygen bomb combustion/atomic absn spectrophotometric method, 658
- trifluoroacetic acid used for chem. comminution of, 840
- washing. *See* Cleaning
- /water slurries, dielectric constants at 750 MHz, 735

Coals. *See also* Anthracites; Coals, bituminous; Coals, brown; Coals, subbituminous; Lignites; Vitrinites, etc.

Coals, bituminous, alkylation. *See* Alkylation
- caking, low-temp. air oxidn, effect on swelling and softening props., 175
- Canadian, lab. gasifcn, 139
- conversion enhancemt using cresol–tetralin solvents, 631
- correln of wt% ash with wt% silicon, 150
- estn of concn of donatable H in a coal solvent by n.m.r., 707
- flash pyrolysis of, 807
- fluidized-bed pyrolysis: structural analysis of tars from, 817
- hydrocracking: effect of SO_4^{2-} on catalytic activity of Fe_2O_3 for, 389
- hydropyrolysis under pressure of H_2–CH_4 mixtures, 721
- IL No. 6, hydroxyl H studied by *in-situ* FTIR difference spectroscopy, 1273
- liqn of, hydrogen/deuterium transfer in, 610
- measuremt of true specific heats, 1071
- mineral matter effects on rapid pyrolysis and hydropyrolysis of, 155, 1213
- molecular structure studied with pulse n.m.r., 647
- oxidation, under natural conditions, 71
- pulverized, formn and destruction of H_2S in short-residence-time pyrolysis of, 493
- pyrolysis–field desorption mass spectrometry of, 670
- reactivity to hydrogenation, ranking by kinetic measuremts, 116
- titanium-contg minerals in, 1245

Coals, brown, behaviour of huminite macerals from, in hydrogen + tetralin in autoclaves, 265
- effects of petrographic constits. on hydroliqn, 472
- ^{1}H n.m.r. study of effect of thermal treatmt on coal–water interaction, 271
- hydrogenation. *See* Hydrogenation
- liquefaction. *See* Coal liquefaction
- tin-catalysed hydrogenation of, 831

Coals, subbituminous, hydrotreating a distillate liq. derived from, using sulphided CoO-MoO_3-Al_2O_3 catalyst, 1110
- liqn under non-hydrogenative conditions, 603

Coal characteristics, dependence of coal liqn behaviour on, 968, 972, 980

Coal chars, Australian, reactivity to CO_2, 145
- reactivity in steam, effect of pre-oxidn, 77

Coal conversion products, dialytic removal of particulate matter from, 1155

Coal derivatives, particle size and molecular weights, 215

Coal-derived liquids, cleaning by filtration, 988
- effect of process distillation on distribn of aromatic amines, 473
- hydrotreating, hydrocracking and reforming, 1032
- new characterizn techniques for, 994
- upgrading of, 1038

Coal-derived products, analysis for oil, asphaltene and pre-asphaltene content, 1168
- characterizn of needle coke feedstocks by ^{13}C n.m.r., 336
- co-carbonizn of SRC fractions with a non-coking coal, 390
- sepn of liquids by g.p.c., 357

Coal liquefaction, assignmt of aliphatic C peaks in ^{13}C n.m.r. spectra of liqn products, 775
- behaviour of Co-Mo-Al_2O_3 catalysts in HDO of phenols, 1021
- of bituminous, hydrogen/deuterium transfer in, 610
- carbon-14 tracer study of chem. fate of tetralin, 314
- catalysis by H_2S from pyrite decompn, 777
- catalysts, assessmt of activities of, by means of H_2 evolution, 199
- dehydrogenation activities on various ranks of coal, 894
- Chevron process (CCLP), 1045
- cleaning of coal-derived oils by filtration, 988
- coal props. and their importance in liquid-fuel prodn, 883
- dependence on coal characteristics, 968, 972, 980
- donor-solvent, role of phenol, 1172
- effect of blending of two coals, 875
- effect of brown coal petrographic constits. on hydroliqn, 472
- effect of catalyst and vehicle in, 919
- effect of solvent and iron-cmpds on brown-coal liqn, 906
- effect of temp. and solvents on free radical concn; and mathematical model, 21
- filtration in: prepn of filter aid from filter cake, 364
- ^{1}H and ^{13}C n.m.r. spectroscopic analysis of fossil-fuel liquids and solns, 1007
- by H_2 produced from methanol, 392
- hydrogen–deuterium exchange reactions of tetralin-d_{12} with IL No. 6, etc., 257
- hydrogenation of coal-derived liquids in presence of rhodium complexes, 1292
- hydroliqn of brown coal, studied by ^{13}C CP/MAS n.m.r. spectrometry, 824
- (Rhenish), effects of coal quality and process parameters on, 947
- (Victorian), kinetic studies, 953
- kinetic model, 276
- magnetic sepn and thermo-magneto-chem. props. of mineral particulates, 369
- mechanisms of, in high boiling process solvents, 899
- model, based on metal halide catalysed hydrogenation of coal, 201
- Mössbauer studies on effect of addition of iron sulphides, 1288
- new characterizn techniques for coal-derived liquids, 994
- process improvemts in lignite liqn using CO and H_2S, 925
- products, cyclic alkanes as geochem. markers in, 44
- estn of quat. and terts, aromatic C in, using spin-echo ^{13}C n.m.r., 1164
- pyrite decompn: kinetic study, 761
- reactivity ranking by kinetic measuremts, 116
- recovery of heavy liq. products by pressure fluid extraction, 1290
- reduction of iron sulphates during, 470
- role of molecular hydrogen in chemistry of, 1020
- science of, internat. workshop on, 882–1066
- preface, 882
- special discussion papers, 1065
- sepn of liquids by g.p.c., 357
- single-stage hydrotreatmt of coal-hydrogenation distillation fractions, 1051
- solvents for, performance indices defined, 755
- spatial distribn of O in coals: developmt of a tin labelling reaction and Mössbauer studies, 889
- study of Ti in SRC by X-ray absn spectroscopy, 195
- of subbituminous, under non-hydrogenative conditions, 603
- syncrude from coal, upgrading of, 1032
- synergistic effects between light and heavy solvent components during, 859
- of Texas lignite in H-donor solvent system, 351
- unusual effects of catechol upon hydroliqn, 865
- of Wyodak coal by hydrogenating distillate recycle solvents, 111
- of Yallourn brown coal at low pressures and rapid heating rates, 1014
- *See also* Hydrogenation

Coal–oil mixtures, combustion of lignite with fuel oils, 1277
- stability detn by i.r. spectroscopy, 479

Coal-refining process, high-voidage fluidization in: prediction of particle and fluid velocities, 210

Coal research, a comprehensive review, 786

Coal tar, cyclic alkanes as geochem. markers in, 44
- evolution during rapid low-temp. pyrolysis of N. Dakota lignite, 198
- flash-pyrolysis, catalytic hydrotreatmt of, 1038
- from fluidized-bed pyrolysis of coal: structural analysis of, 817

Coalification model, using low-rank materials, 1182

Cokes, anisotropic, from carbonizn of coals, 587, 595
- correln of reactivity and electrical reactivity, 305
- effects of overhtg and C burn-off on performance of fluidized-bed combustors, 298
- fluid, from petroleum: NaOH-assisted desulphurizn, 1260
- high-temp., measuremt of true specific heat, 1071
- influence of coal characteristics on CO_2 gasifcn, 717
- SEM study of fractured and etched surfaces, 232
- strength and structure studies, 232
- proximate analysis using thermogravimetry, 713
- reaction with KOH under nitrogen, 834
- structure and tensile strength, effect of low-volatile additives on, 329

Coking, of bitumen from Athabasca oil sands, effect of adding $Ca(OH)_2$, 169
- in CO methanation: prevention of catalyst deactivn caused by coke formn, 537

Coking coal vitrites, selective thermosolvolysis of, 557, 565

Combustion, fate of coal nitrogen during, 1218

Combustion products, V recovery from ash-leaching solns by solvent extn, 549

Contact angles, of coal surfaces, influence of coagulants and flocculants on, 166

Copper inorganic compounds, used in coal desulphurizn, 871

Cumene hydroperoxide, influence at h.t. on feed for catalytic cracking, 867

Cyclic alkanes, as geochem. markers in coal liqn products, 44

BEST COPY AVAILABLE
FOR REPRODUCTION

Decomposition reactions, of FeS_2 in coal, Mössbauer study, 523
Dehydrogenation, activities of coal liqn catalysts on various ranks of coal, 894
– of bit. coal: effect of SO_4^{2-} on catalytic activity of Fe_2O_3 for, 389
– catalytic effects of liq. metals for low-temp. asphalt-cracking, 542
– of indan in pressurized deuterium, 283
Densification, of water hyacinth: basic data, 791
Depolymerization, acid-catalysed, of Turkish lignites: effect of u.v. radiation, 1138
Desulphurization, auto-, of coals, by weathering, 204
– of coals, using solns contg cupric ions, 871
– of crude oil, using molybdenum carbonyl on florisil, 1164
– NaOH-assisted, of petroleum fluid coke, 1260
Devolatilization, of coals, apparatus for kinetic studies of, 1207
– – in fluidized-bed combustors, 771
– of HyPy chars, thermogravimetric study of, 725
Dewatering, of brown coals, ^1H n.m.r. study, 271
– electro-osmotic, of coal froth flotation concentrates, 780
– of peat, treatmt to enhance, 741
Dielectric properties, of coal/water slurries at 750 MHz, 735
1,4-Diphenylbutane, thermal decompn of, 1161

Editorials, 2, 1070
Eichhornia crassipes (**water hyacinth**), densification characteristics in reln to briquetting, 791
Electrical resistivity, of cokes, correln with reactivity, 305
Emulsions, chem. nature and water/oil emulsifying props. of asphaltenes, 732
Enthalpy, of pyrolysis and oxidn of Athabasca oil sands, 639
European research, on chem. and phys. props. of coal, 570

Filter cake, prepn of filter aid from, for coal liqn, 364
Filtration, in cleaning of coal-derived oils, 988
– in coal liqn: prepn of filter aid from filter cake, 364
Flocculants, influence on contact angles of coal surfaces, 166
Fluid fuels, atomization of, 1135
Fluidization, high-voidage, in coal-refining process: prediction of particle and fluid velocities, 210
Fluidized-bed combustors, coal devolatilizn in, 771
– effects of overhtg and C burn-off on performance of, 298
– large-scale atmospheric, plume model for S capture in, 578
Fluidized-bed gasification, of W. Canadian coals, 133
Fly ash, /alkali reactions and deposit formn in pulverized-coal-fired boilers, 87, 93
– formation in pulverized-coal combustion, 161, 765
Fossil fuel materials, ^1H and ^{13}C n.m.r. spectroscopic analysis of, 1007
Free radicals, changes in, in coal-derived pyrites on htg in N_2, H_2, and vacuum, 1249
– in coals and coal conversion: role of temp. and solvents; and mathematical model, 21
Fuel oils, viscosity of, effects of ultrasonic irradiation on, 1160

Gasification, CO_2–, of met. coke, influence of coal characteristics on, 717
– of coal, Ca used as a steam gasifcn catalyst, 620
– – in lab. fixed-bed gasifier, of Canadian bit. coals and lignites, 139
– – reactivity of Australian chars to CO_2, 145
– – using molten iron bath as reactor, 1027
– – by water vapour, catalytic activity of coal minerals in, 291
– – W. Canadian, fluidized-bed, 133
Gasification reactivity, of chars in steam, effect of pre-oxidn, 77
Graphitization, catalytic, effects on Vickers microhardness of phenolic resin carbon and cokes, 1127
Gravimetric analysis, in detn of reactivity of Australian coal chars to CO_2, 145
Grinding, of coal, in CO_2 vapour, 1230
Guaiacol, thermal cleavage of C–O bond in, 377

H-coal liquids, mol. wt distribns and size fractionations of, 553
Heats, specific, of coals, detd by DSC, 437
– of oil sands, measured by DSC, 237
– true, of bit. coals and high-temp. coke, measuremt of, 1071
Huminite macerals, characterizn of, 1197
Hydrocracking, of phenanthrene, catalytic effects of $ZnCl_2$ with other metal chlorides, 124
– thermal, of indan in pressurized deuterium, 283
Hydrogasification, of aromatics: chemistry of methane formn in, 499, 505, 510
Hydrogen, donatable, estn of concn in a coal solvent by n.m.r., 707
Hydrogen-donor system, hydrogenation using activated red mud catalyst, 460
Hydrogenation, bench-scale continuous, of Australian coals: study of iron catalysts and recycle solvent compn, 912
– of bit. coal, conversion enhancemt using cresol–tetralin solvents, 631
– brown coal, Victorian, roles of H_2 and H-donor solvents in presence of iron- and tin-based catalysts, 939
– – – synergistic catalytic effect in, 121
– caking coal: chem. structure of oil from, 245
– coal, in absence of solvent, $ZnCl_2$- and $SnCl_2$-contg molten salt catalysts for, 1119
– – degree of, and mesophase formn, 303
– – effect of conditions on chem. structures of products from, 321
– – effects of Lewis acid catalysts on coal-related structures, 745
– – by H_2 produced from methanol, 392
– – Japanese, coated with chloride binary catalyst melts, 18
– – use of acetylation to quantitate OH groups in preasphaltenes and asphaltenes from, 848
– coal-derived liquids in presence of rhodium complexes, 1292
– of distillate recycle solvents in liqn of Wyodak coal, 111
– indirect, of cellulose: effect of added $Ru_3(CO)_{12}$, 873
– of model H-donor system using activated red mud catalyst, 460
– oil shale, characterizn of insol. org. residues from, 221
– potential, and variation in Victorian brown coal characteristics, 1058
– reactivity of bit. coals to, ranking by kinetic measuremts, 116
– tin-catalysed, of brown coals, 831
Hydrogenolysis, of coals in presence of NaOH, 627
Hydropyrolysis, of bit. coal, under pressure of H_2–CH_4 mixtures, 721
– of a high-S–high-calcite subbit. coal: catalytic effect of calcite on yields, 447
– – effect of min. matter on S behaviour, 453
– of Louisiana lignite, 1149
– thermogravimetric study of devolatilizn of HyPy chars, 725
Hydroxyl concentration, in coals, detd by FTIR, 663
Hydroxyl groups, tin labelling reaction and Mössbauer studies, 889
Hydroxyl hydrogen, in bit. coal, studied by *in-situ* FTIR difference spectroscopy, 1273

Ignition, effect of coal porosity on, 634
Indan, thermal hydrocracking in pressurized deuterium, 283
Instrumental methods of analysis, ^{13}C CP n.m.r. examn of oil shale, 1282
– ^{13}C CP/MAS n.m.r. characterizn of coal macerals, 411
– ^{13}C CP/MAS n.m.r. study of hydroliqn of brown coal, 824
– ^{13}C CP/MAS n.m.r. used in analysis of coals and pitch, 651
– ^{13}C n.m.r., resolution-enhanced-solid-state, of reductive alkylation of a bit. coal, 53
– ^{13}C n.m.r. spectra of anthracite simplified by ^{13}C and ^1H dipolar dephasing, 1233
– ^{13}C n.m.r. spectra of coal liqn products: assignmt of aliphatic C peaks, 775
– ^{13}C and ^1H n.m.r., for detg bridgehead aromatic carbons in coal-derived materials, 193
– ^{13}C and ^1H n.m.r. spectra for detn of chem. structure of tar-sand bitumens, 402
– capillary column g.c.–m.s. in characterizn of carboxylic acids in *in-situ* oil shale retort waters, 227
– characterizn of insol. org. residues from hydrogenation of oil shale by Cupy, g.c. and g.c.–m.s., 221
– characterizn of needle coke feedstocks by ^{13}C n.m.r., 336
– characterizn of residual C in retorted oil shale by solid-state ^{13}C n.m.r., 341
– chem. characterizn of coals by magic-angle ^{13}C n.m.r., 393
– diffuse reflectance FTIR spectometry of powdered coals, 529
– DSC study of pyrotechnic reaction of B and PbO, 843
– DSC used to determine specific heats of coals, 437
– DSC and TGA used to study kinetics of sewage sludge pyrolysis, 799
– e.p.r. study of molecular phases in coal, 433
– e.s.r. from impurities in coal-derived pyrite, 396
– e.s.r. measuremt of dissociation constant of bibenzyl, 1254
– e.s.r. study of pyrolysis vapour of coal, 1124
– FNAA, XRF and SIAAS, in correln of silicon content of bit. coals with ash yield, 150
– FTIR characterizn of vitrinites, 682
– FTIR used in detg OH concns in coals, 663
– g.c.–m.s. in chem. characterizn of Australian shale oil, 185
– g.l.c. of tars from fluidized-bed pyrolysis of coal, 817

BEST COPY AVAILABLE
FOR REPRODUCTION

- g.p.c. in study of nitrohumic acids from lignites, 443
- g.p.c. and v.p.o. used to obtain MW data for H-coal liquids, 553
- ^1H and ^{13}C n.m.r. spectroscopic analysis of fossil-fuel liquids and solns, 1007
- ^1H and ^{13}C n.m.r. of pet. pitch fractions and ethylene pyrolysis tar, 1095
- ^1H n.m.r. study of dewatering of brown coals, 271
- high resoln electron microscopy study of coking vitrinite structure, 876
- for identifcn of olefins in petroleum and synthetic fuel naphtha, 182
- *in-situ* FTIR difference spectroscopy study of hydroxyl H in oil. coal, 1273
- i.r. detn of stability of coal–oil mixtures, 479
- Mössbauer study: changes in iron minerals during oil-shale retorting, 516
- - effect of addition of iron sulphides, 1288
- - thermal decompn of FeS_2 in coal, 523
- - tin labelling of OH groups, 889
- new X-ray structural parameter for coals, 695
- n.m.r. estn of concn of donatable H in a coal solvent, 707
- n.m.r. study of US shale oils, 1101
- n.m.r., g.p.c. and combustion analysis of coal hydrogenation products, 321
- proton dynamic polarizn and proton–carbon cross-polarizn in, 398
- pulsed ^1H n.m.r. analysis of rich oil shales, 778
- pulsed ^1H n.m.r. studies of molecular structure of bit. coal, 647
- Py–FD–m.s. of bit. coal, 670
- of reductive alkylation of a bit. coal, 53
- relaxation of ^{13}C and ^{15}N nuclei by SRC, 959
- SEM study of fractured and etched met. coke surfaces, 232
- spin-echo ^{13}C n.m.r. used for estg quat. and tert. aromatic C in coal liqn products, 1164
- in structural study of coals using directly-prepared potassium–coal adducts, 58
- in study of cyclic alkanes as geochem. markers in coal liqn products, 44
- thermogravimetry, for prox. analysis of coals and cokes, 713
- trace elements in coals detd by oxygen bomb combustion/atomic absn spectrophotometric method, 658
- X-ray absn spectroscopy study of Ti in SRC, 195

Iron, coal gasifcn using molten iron bath as reactor, 1027
- *See also* Catalysts

Iron compounds, effect on brown-coal liqn, 906
Iron sulphides, role of in coal liqn, Mössbauer studies, 1288

Kerogen, oil-shale, pyrolysis of, 227
Kinetic model, of coal liqn, 276

Laser microprobe mass detector, for studying coal surface, 1241
Lead monoxide, pyrotechnic reaction with boron: heats of reaction and DSC studies, 843
Lignites, Canadian, lab. gasifcn, 139
- characterizn of U-rich org. material from S. Texas lignite, 853
- combustion with fuel oils, 1277
- flash pyrolysis of, 807
- g.p.c. in study of nitrohumic acids from, 443
- Louisiana, pyrolysis and hydropyrolysis of, 1149
- N. Dakota, gas evolution during rapid low-temp. pyrolysis, 198
- process improvemts in liqn using CO and H_2S, 925
- Texas, chemistry of liqn in H-donor solvent system, 351
- Turkish, acid-catalysed depolymerizn of: effect of u.v. radiation, 1138
- - supercritical-gas-extract of, cyclic alkanes as geochem. markers in, 44

Liquefaction, of sugar cane bagasse with HCO_2Na in water, 106
Liquid fuels, production of, imptnce of coal props. in, 883
Low-temperature ashing, of coals: comparison of microwave and radiofrequency methods, 1267

Macerals, brown-coal, effects on hydroliqn, 472
- coal, characterizn by ^{13}C CP/MAS n.m.r., 411
- - mech. sepn, 3
- huminite, from brown coals: behaviour in hydrogen + tetralin in autoclaves, 265

Magnetic properties of materials, contamination from grinding coal in steel pulverizer, 81
Magnetic separation, and thermo-magneto-chem. props. of coal liqn mineral particulates, 369
Mathematical model, for examining effect of process variables in coal liqn on free radical formn, 21
- plume model for S capture in large-scale atm. fluidized-bed combustor, 578

Mechanical properties, of coal due to gas and vapour sorption, 1281
Mechanical separation, of coal macerals, 3
Mesophase formation, in coal-derived liquid asphaltenes, 383
- and degree of hydrogenation of coal, 303

Methanation, of CO, prevention of catalyst deactivn caused by coke formn in, 537
Methane, chemistry of formn in hydrogasifcn of aromatics, 499, 505, 510
- hydropyrolysis of bit. coal under pressure of H_2–CH_4 mixtures, 721

Methanol, coal liqn by H_2 produced from, 392
Methylation, reductive, in chem. characterizn of coal, 423
Microhardness, Vickers, of phenolic resin carbon and cokes, effects of catalytic graphitizn, 1127
Mineral matter, from bit. coal, TiO_2 in, 1245
- in coal, catalytic activity in water vapour gasifcn of coal, 291
- effects on rapid pyrolysis and hydropyrolysis of a bit. coal, 155, 1213
- magnetic sepn and thermo-magneto-chem. props. of coal liqn particulates, 369

Model(s), coalification, using low-rank materials, 1182
- space-filling, for coals, 1080

Model compounds, formn and destruction of H_2S in short-residence-time pyrolysis of, 493
Molecular structure, of bit. coal studied with pulse n.m.r., 647
Molecular weights, of coal derivatives, 215
- distribns and size fractionations of H-coal liquids, 553

Mutagenicity, of coal-derived liquids, 473

Needle coke, characterizn of feedstocks by ^{13}C n.m.r., 336
Nitrogen, in coals, fate of during combustion, 1218
Nitrogen bases, generated via HCl pptn and ion exchange chromatography, comparison of, 1174
Nitrohumic acids, from lignites, studied by g.p.c., 443

Obituary, Dirk Jan Willem Kreulen, 1177
Oils, crude, desulphurizn of, using molybdenum carbonyl on florisil, 1164
- - influence of cumene hydroperoxide at h.t. on feed for catalytic cracking, 867
- from hydrogenation of caking coal, chem. structure of, 245
- shale, Australian, chem. characterizn of, 185
- - retorted, trace metal compn, 63

Oil recovery, using CO_2 recovered from coal-burning power plant, 415
Oil sands, Athabasca, coking of bitumen from, effect of adding $Ca(OH)_2$, 169
- - enthalpies of pyrolysis and oxidn of, 639
- correln of acoustic wave velocities with bitumen content, 240
- methods for extn of bitumen from, 477
- specific heats, measured by d.s.c., 237

Oil shales, ^{13}C CP-n.m.r. examn, 1282
- Colorado, gas evolution during pyrolysis of, 1188
- *in-situ* retort waters, characterizn of carboxylic acids in by capillary col. g.c.–m.s., 227
- isothermal pyrolysis: oil generation and compn at various pressures, 482
- Mössbauer investign of changes in iron minerals during retorting, 516
- retorted, characterizn of residual C in by solid-state ^{13}C n.m.r., 341
- - SO_2 emissions from oxidn of, 781
- rich, analysis by pulsed ^1H n.m.r., 778
- *Tasmanites* sp., characterizn of insol. org. residues from hydrogenation of, 221

Olefins, selective sepn and identifcn in petroleum and synthetic fuel naphtha, 182
Oxidation, of Athabasca oil sands, enthalpy of, 639
- atmospheric, auto-desulphurizn of coals by, 204
- of bit. coals under natural conditions, 71
- of coals, kinetics and chem. model, 29, 35
- - - and chem. reactions, 29
- Deno: isolation of high-mol. wt aliphatic material from coals, 1085
- effect of pre-, on reactivity of chars in steam, 77
- low-temp.-air, of caking coals, effect on swelling and softening props., 175
- of retorted oil shale, SO_2 emissions from, 781

Oxygen, spatial distribn in coals; tin labelling of OH groups, 889

Particle size distribution, of coal derivatives, 215
- in high-voidage fluidization of coal, 210

Peats, treatmt to enhance dewatering, 741
Petroleum, selective sepn and identifcn of olefins in heavy fuel oil, 182
Phenanthrene, hydrocracking of, catalytic effects of $ZnCl_2$ with other metal chlorides, 124
Phenol, role in donor solvent coal liqn, 1172
Phenols, enhancemt of coal conversions using cresol–tetralin solvents, 631
Pitch, analysis using ^{13}C CP/MAS technique, 651
- petroleum-, ^1H and ^{13}C n.m.r. of fractions of, 1095

BEST COPY AVAILABLE
FOR REPRODUCTION

Porosity, of coals, effect on ignition and thermal decompn, 634
Porphyrins, Boscan, adsn mechanism on MoO_3, Co_3O_4 and Co-Mo/Al_2O_3, 13
Potassium hydroxide, reaction of cokes with, under nitrogen, 834
Power plants, coal-burning, control of CO_2 emissions from, 415
Preasphaltenes, from coal hydrogenation: use of acetylation to quantitate OH groups in, 848
Propellant, composite solid, effect of catalysts contg copper chromite on thermal decompn of, 129
Pulverized coal, ferromagnetic and superparamagnetic contamination in, 81
Pulverized-coal combustors, slag deposit formn on steels in, 161, 765
Pyridine extracts, of coal, CO_2 extn of retained pyridine, 1170
Pyrite, in coals, Mössbauer study of thermal decompn of, 523
– coal-derived, changes in free radicals in, on htg in N_2, H_2, and vacuum, 1249
– – e.s.r. from impurities in, 396
– decompn of, under coal liqn conditions: kinetic study, 761
– H_2S from decompn of, in coal liqn catalysis, 777
– Mössbauer investign of changes during oil-shale retorting, 516
– reduction to pyrrhotite during coal liqn, 470
Pyrite–pyrrhotite conversion, 1249
Pyrolysis, of Athabasca oil sands, enthalpy of, 639
– of coals, apparatus for kinetic studies of, 1207
– of Colorado oil shales, gas evolution during, 1188
– flash-, of bit. coals, anthracite and lignite, 807
– fluidized-bed, of coal: structural analysis of tars from, 817
– isothermal, of oil shale: oil generation and compn at various pressures, 482
– of Louisiana lignite, 1149
– mesophase formn in coal-derived liquid asphaltenes, 383
– products, of Turkish asphaltites: characterizn, and comparison with solvent extracts, 346
– rapid, of a bit. coal, min. matter effects on, 155, 1213
– – low-temp., of N. Dakota lignite, 198
– of sewage sludge: kinetics study using DSC and TGA, 799
– short-residence-time, of pulverized coal and model cmpds: formn and destruction of H_2S in, 493
Pyrolysis vapour, of coal, e.s.r. study, 1124

Radioactive assay, carbon-14 study of chem. fate of tetralin in coal liqn, 314
Reactivity, of cokes, correln with electrical resistivity, 305
Red mud catalyst, used in hydrogenation of model H-donor system, 460
Retorting processes, for shale oil recovery, and trace metal compn of the oils, 63

Separation methods (chem. analysis), of coal-derived liquids by g.p.c., 357
Sewage sludge, pyrolysis kinetics studied by DSC and TGA, 799
Shale oils, produced by pyrolysis and hydropyrolysis, n.m.r. study, 1101
Slag deposit formation, on steels in pulverized-coal combustors, 161, 765
Slurries, coal/water, dielectric constants at 750 MHz, 735
Sodium hydroxide, coal hydrogenolysis in presence of, 627
Sodium silicate, and deposit formn, in pulverized-coal-fired boilers, 87, 93
Softening properties, of caking coals, effect of low-temp. air oxidn, 175
Solvents, coal-liqn, performance indices defined, 755
– effect on brown-coal liqn, 906
– effect on coal liqn, 919
– model-compound, synergistic effects during coal liqn, 859
– process-derived, mechanisms of coal liqn in, 899
– recycle, compn of in bench-scale continuous hydrogenation of Australian coals, 912
Solvent extraction, of coal, estn of donatable H concn in solvent by n.m.r., 707
– – using pyridine: CO_2 extn of retained pyridine, 1170
– methods for V recovery from ash-leaching solns, 549
Solvent-refined coal, relaxation of ^{13}C and ^{15}N nuclei by, 959
Strength, tensile, and structure of cokes, effect of low-volatile additives on, 329
Sugar cane bagasse, liqn with HCO_2Na in water, 106
Sulphur, evolution as H_2S in short-residence-time pyrolysis of pulverized coal and model cmpds, 493
– plume model for S capture in large-scale atm. fluidized-bed combustor, 578
Sulphur dioxide emission, from oxidn of retorted oil shale, 781
Supercritical solvents, pyridine extn of coal, 1170
Swelling properties, of caking coals, effect of low-temp. air oxidn, 175
Syncrude, from coal, upgrading of, 1032
– coal and tar sands fractions, stability of, 1141
Synthetic fuel naphthas, selective sepn and identifcn of olefins in, 182

Tar, from ethylene pyrolysis, ^1H and ^{13}C n.m.r., 1095
Tar-sand bitumens, chem. structure by ^{13}C and ^1H n.m.r. spectra, 402
Tetralin, carbon-14 tracer study of chem. fate of, in coal liqn, 314
Thermal analysis, of oil sands: specific heat detn by d.s.c., 237
Thermogravimetric analysis, of coals: effect of porosity on ignition and thermal decompn, 634
– of devolatilizn of HyPy chars, 725
Thermolysis, cleavage of C–O bond in guaiacol, 377
Thermosolvolysis, selective, of coking coal vitrites, 557, 565
Tin-catalysed hydrogenation, of brown coals, 831
Titanium, study of in SRC by X-ray absn spectroscopy, 195
– as TiO_2, in bit. coal min. matter, 1245
Trace element analysis, in coals, using oxygen bomb combustion/atomic absn spectrophotometric method, 658
– of retorted shale oil, 63
Trifluoroacetic acid, used in chem. comminution of coal, 840

Ultrasonic irradiation, effects on viscosity of fuel oils, 1160
Ultraviolet irradiation, effect on acid-catalysed depolymerizn of Turkish lignites, 1138
Uranium, characterizn of U-rich org. material from S. Texas lignite, 853

Vanadium, recovery from ash-leaching solns by solvent extn, 549
Viscosity, of fuel oils, effects of ultrasonic irradiation on, 1160
Vitrinites, characterizn by FTIR, 682
– coking-coal, a high resoln electron microscopy study of structure in, 876
Volatility test, for bituminous products, 430

Water hyacinth (*Eichhornia Crassipes*), densification characteristics in reln to briquetting, 791
Weathering, auto-desulphurizn of coals by, 204
– of bit. coals under natural conditions, 71
Workshop, international, on science of coal liqn, 882–1066
– – – preface, 882
– – – special discussion papers, 1065

X-ray diffraction analysis, new structural parameter for coals, 695

BEST COPY AVAILABLE
FOR REPRODUCTION

Author Index

Abalayeva, V. V.: see Rajca, I. W., Abalayeva, V. V. and Borowski, A. F.

Abbott, Murray, F. and Austin, Leonard G.: Studies on slag deposit formation in pulverized-coal combustors. 4. Comparison of sticking behaviour of minerals and low-temperature and ASTM high-temperature coal ash on medium carbon steel substrates, 765

Abichandani, Jeevan S., Shah, Yatish T., Cronauer, Donald C. and Ruberto, Raffaele G.: Kinetics of thermal liquefaction of coal, 276

Akuzawa, K.: see Öya, A., Akuzawa, K. and Otani, S.

Albaugh, E. W.: see Seshadri, K. S., Albaugh, E. W. and Bacha, J. D.
–: see Seshadri, K. S., Bacha, J. D. and Albaugh, E. W.

Alemany, Lawrence, B. and Stock, Leon M.: The reductive alkylation of Illinois No. 6 coal. Factors governing the reductive alkylation reaction in ethereal solvents, 250

–, –: Reductive alkylation of Illinois No. 6 coal. ^{1}H and ^{13}C n.m.r. spectra of the ^{13}C-enriched alkylation products, 1088

Alexander, C. C.: see Senftle, F. E., Thorpe, A. N., Alexander, C. C. and Finkelman, R. B.

Allardice, D. J.: see Perry, G. J., Allardice, D. J. and Kiss, L. T.

Alper, Howard, Gopal, Madhuban and Heveling, Josef: Use of molybdenum carbonyl on florisil for the desulphurization of crude oil, 1164

Antal, M. J. Jr: see Urban, D. L. and Antal, M. J. Jr

Anthony, R. G.: see Philip, C. V. and Anthony, R. G.

Armstrong, Lyndon: Hydrotreating coal-derived liquid distillation fractions. 1. Study of single-stage treated products for transport fuel use, 1051

Assink, Roger A. and Drozda, Patrick M.: Analysis of rich oil shales by ^{1}H nuclear magnetic resonance, 778

Atkinson, P. A.: see Marks, W. L. and Atkinson, P. A.

Austin, L. G.: see Abbott, M. F. and Austin, L. G.
–: see Moza, A. K. and Austin, L. G.

Awadalla, Albert A. and Smith, Brian E.: Apparent enhancement of coal conversions using cresol–tetralin solvents, 631

–, Rix, Colin J., Shaw, Ian M. and Smith, Brian E.: Alternative procedure for the analysis of coal-derived materials for oil, asphaltene and pre-asphaltene content, 1168

Babbitt, P. C.: see Fish, R. H., Newton, A. S. and Babbitt, P. C.

Bacha, J. D.: see Seshadri, K. S., Albaugh, E. W. and Bacha, J. D.
–: see Seshadri, K. S., Bacha, J. D. and Albaugh, E. W.

Bain, R. L.: see Furlong, M. W., Baldwin, R. M. and Bain, R. L.

Balard, H.: see Papirer, E., Bourgois, C., Siffert, B. and Balard, H.

Baldwin, R. M.: see Furlong, M. W., Baldwin, R. M. and Bain, R. L.

Baltisberger, Richard J., Patel, Kundanbhai M., Woolsey, Neil F. and Stenberg, Virgil I.: Use of acetylation and ^{14}C-counting to quantitate hydroxyl groups in preasphaltenes and asphaltenes from coal hydrogenation, 848

Barron, Peter F.: ^{13}C cross-polarization n.m.r. examination of the Glen Davis oil shale deposit, 1282
–: see Wilson, M. A., Rottendorf, H., Collin, P. J., Vassallo, A. M. and Barron, P. F.

Bartle, K. D.: see Ekinci, E., Sarac, S. and Bartle, K. D.
–: see Jones, D. W., Pakdel, H. and Bartle, K. D.
–: see Stompel, Z. J., Bartle, K. D. and Frere, B.

Barwood, Henry L., Curtis, Christine W., Guin, James A. and Tarrer, Arthur R.: Identification of clay minerals in coal by selective cation saturation, 463

–, Guin, James A. and Curtis, Christine W.: Reduction of iron sulphates during coal liquefaction, 470

Bell, A. T.: see Salim, S. S. and Bell, A. T.

Benedetti, Enzo, Santini, Rinaldo, D'Alessio, Aldo and Vergamimi, Piegiorgio: Determination of the stability of coal–oil mixtures (COM) by infrared analysis, 479

Benjamin, B. M.: see Hessley, R. K., Benjamin, B. M. and Larsen, J. W.

Bennett, M. L.: see Ng, N., Fredericks, P. M. and Bennett, M. L.

Bishop, A. M.: see Lindahl, P. C. and Bishop, A. M.

Bodily, D. M.: see Shibaoka, M., Russell, N. J. and Bodily, D. M.

Bommannavar, Arun S. and Montano, Pedro A.: Mössbauer study of the thermal decomposition of FeS_2 in coal, 523

–, –: Effect of additives on the stoichiometry of iron sulphides formed during liquefaction of a Powhatan No. 5 coal, 1288

Borowski, A. F.: see Rajca, I. W., Abalayeva, V. V. and Borowski, A. F.

Bourgois, C.: see Papirer, E., Bourgois, C., Siffert, B. and Balard, H.

Bowden, J. N.: see Brinkman, D. W. and Bowden, J. N.

Bredenberg, J. B-son: see Ceylan, R. and Bredenberg, J. B-son

Brinkman, Dennis W. and Bowden, John N.: Stability of some coal and tar sands syncrude fractions, 1141

Brown, J. R.: see Ternan, M. and Brown, J. R.

Buczek, Bronisław, Czapliński, Andrzej, Czepirski, Leszek and Holda, Stanisław: Grinding of natural coal in the presence of vapours of CO_2, 1230

Bueno, J. L.: see Coca, J., Bueno, J. L. and Sastre, H.

Bukowski, A.: see Gurdzińska, E. and Bukowski, A.

Burnham, A. K.: see Huss, E. B. and Burnham, A. K.
–: see Taylor, R. W., Burnham, A. K., Mallon, R. G. and Morris, C. J.

Butrill, S. E. Jr: see Whitehurst, D. D., Butrill, S. E. Jr, Derbyshire, F. J., Farcasiu, M., Odoerfer, G. A. and Rudnick, L. R.

Bynum, R. L.: see Hagen, A. P., Bynum, R. L., Kapila, V. P. and Miller, T. S.

Carangelo, R. M.: see Solomon, P. R. and Carangelo, R. M.

Cash, D. R.: see Rosenthal, J. W., Dahlberg, A. J., Kuehler, C. W., Cash, D. R. and Freedman, W.

Cassady, T. J.: see Murphy, P. DuB., Cassady, T. J. and Gerstein, B. C.

Cassidy, Peter J., Hertan, Peter A., Jackson, W. Roy, Larkins, Frank P. and Rash, Douglas: Hydrogenation of brown coal. 3. Roles of hydrogen and hydrogen-donor solvents in systems catalysed by iron and tin compounds, 939

Ceylan, Ramazan and Bredenberg, J. B-son: Hydrogenolysis and hydrocracking of the carbon–oxygen bond. 2. Thermal cleavage of the carbon–oxygen bond in guaiacol, 377

Chakrabarti, J. N.: see Chandra, D., Chakrabarti, J. N. and Swamy, Y. V.

Chandra, Debabrata, Chakrabarti, Jitendra N. and Swamy, Yerramsetti V.: Auto-desulphurization of coal, 204

Chen, S. L., Heap, M. P., Pershing, D. W. and Martin, G. B.: The fate of coal nitrogen during combustion, 1218

Choudhury, R.: see Kalra, R. L., Choudhury, R. and Sarkar, M. K.

Christoverson, V.: see Pratt, K. C. and Christoverson, V.

Clarke, James W., Rantell, Terry D. and Parsons, Derek A.: Filtration in coal liquefaction: preparation of filter aid from filter cake, 364

–, – and Snape, Colin E.: Estimation of the concentration of donatable hydrogen in a coal solvent by n.m.r., 707

Coates, David J., Evans, James W. and Pollack, Sidney S.: Identification of the origin of TiO_2 deposits surrounding a used hydrodesulphurization catalyst, 1245

Coca, Jose, Bueno, J. L. and Sastre, H.: Influence of coagulants and flocculants on contact angles of coal surfaces, 166

Cochran, H. D.: see Poutsma, M. L., Youngblood, E. L., Oswald, G. E. and Cochran, H. D.

Cochran, Simon J., Hatswell, Mark, Jackson, W. Roy and Larkins, Frank P.: Evidence for direct interaction of hydrogen with brown coal in tin-catalysed reactions, 831

Collin, P. J.: see Wilson, M. A., Collin, P. J., Pugmire, R. J. and Grant, D. M.
–: see Wilson, M. A., Rottendorf, H., Collin, P. J., Vassallo, A. M. and Barron, P. F.

Cookson, David J. and Smith, Brian E.: ^{1}H and ^{13}C n.m.r. spectroscopic methods for the analysis of fossil fuel materials: some novel approaches, 1007

Corry, R. G.: see Silver, H. F., Corry, R. G., Miller, R. L. and Hurtubise, R. J.

Cotton, John D., Penrose, Janelle C. and Wells, Peter R.: Effect of added $Ru_3(CO)_{12}$ on the indirect hydrogenation of cellulose, 873

Crawford, D.: see Marsh, H. and Crawford, D.

Crisp, P. T.: see Regtop, R. A., Crisp, P. T. and Ellis, J.

Cronauer, Donald C., McNeil, Robert I., Young, Donald C. and Ruberto, Raffaele

BEST COPY AVAILABLE FOR REPRODUCTION

G.: Hydrogen/deuterium transfer in coal liquefaction, 610
–: see Abichandani, J. S., Shah, Y. T., Cronauer, D. C. and Ruberto, R. G.
Cundy, Vic A. and Maples, Dupree: Fuel mixtures of low rank, lignite coal with fuel oils, 1277
Curtis, C. W.: see Barwood, H. L., Curtis, C. W., Guin, J. A. and Tarrer, A. R.
–: see Barwood, H. L., Guin, J. A. and Curtis, C. W.
Cyprès, René and Furfari, Samuel: Hydropyrolysis of a high-sulphur–high-calcite Italian Sulcis coal. 1. Hydropyrolysis yields and catalytic effect of the calcite, 447
–, –: Low-temperature hydropyrolysis of coal under pressure of H_2–CH_4 mixtures, 721
–: see Furfari, S. and Cyprès, R.
Czapliński, Andrzej and Holda, Stanisław: Changes in coal mechanical properties due to gas and vapour sorption, 1281
–: see Buczek, B., Czapliński, A., Czepirski, L. and Holda, S.
Czepirski, L.: see Buczek, B., Czapliński, A., Czepirski, L. and Holda, S.

Dahlberg, A. J.: see Rosenthal, J. W., Dahlberg, A. J., Kuehler, C. W., Cash, D. R. and Freedman, W.
D'Alessio, A.: see Benedetti, E., Santini, R., D'Alessio, A. and Vergamimi, P.
Davis, A.: see Kuehn, D. W., Snyder, R. W., Davis, A. and Painter, P. C.
Delpuech, J.-J.: see Le Roux, M., Nicole, D. and Delpuech, J.-J.
Deno, Norman C., Jones, A. Daniel, Koch, Charles C., Minard, Robert D., Potter, Thomas, Sherrard, Robert S., Stroh, Justin G. and Yevak, Richard J.: Aryl-alkyl groups in coals, 490
Derbyshire, Frank J., Odoerfer, George A., Varghese, Paul and Whitehurst, Duayne D.: Coal dissolution in high boiling process solvents, 899
–, Varghese, P. and Whitehurst, Duayne D.: Synergistic effects between light and heavy solvent components during coal liquefaction, 859
–: see Whitehurst, D. D., Butrill, S. E. Jr, Derbyshire, F. J., Farcasiu, M., Odoerfer, G. A. and Rudnick, L. R.
Desypris, John, Murdoch, Patricia and Williams, Alan: Investigation of the flash pyrolysis of some coals, 807
Doehler, W.: see Jankowski, A., Doehler, W. and Graeser, U.
Dolkemeyer, W.: see Lenz, U., Dolkemeyer, W., Ritter, G., Weiner, B. and Wolfrum, E.
Drozda, P. M.: see Assink, R. A. and Drozda, P. M.
Duber, Stanisław and Więckowski, Andrzej B.: E.p.r. study of molecular phases in coal, 433
Dubey, Bharat L., Singh, Gurdip and Shukla, Chandra S.: Effect of copper chromite and copper chromite/copper oxide mixture catalysts on the thermal decomposition of ammonium perchlorate and composite solid propellant, 129
DuBow, J. B.: see Mraz, T. J., Rajeshwar, K. and DuBow, J. B.
–: see Rajeshwar, K., Jones, D. B. and DuBow, J. B.
DuBroff, W.: see Mutso, R. and DuBroff, W.
Dudley, Robert L. and Fyfe, Colin A.: Evaluation of the quantitative reliability of the ^{13}C CP/MAS technique for the analysis of coals and related materials, 651
Durai-Swamy, K.: see Kim, S. S., Jarand, M. L. and Durai-Swamy, K.
Durie, Robert A.: International Workshop on the 'Science of Coal Liquefaction': Preface, 882
–: Coal properties and their importance in the production of liquid fuels—an overview, 883
Dutta, Prabir K. and Talmi, Y.: Compositional and structural study of a coal surface using a laser microprobe mass detector, 1241
Dyrkacz, Gary R. and Horwitz, E. Philip: Separation of coal macerals, 3

Ekinci, Ekrem, Sarac, Sezai and Bartle, Keith D.: Characterization of pyrolysis products of harbolite and Avgamasya asphaltites: comparison with solvent extracts, 346
Ellis, J.: see Regtop, R. A., Crisp, P. T. and Ellis, J.
Evans, J. W.: see Coates, D. J., Evans, J. W. and Pollack, S. S.

Farcasiu, M.: see Whitehurst, D. D., Butrill, S. E. Jr, Derbyshire, F. J., Farcasiu, M., Odoerfer, G. A. and Rudnick, L. R.
Filbey, R. H.: see Sandstrom, D. R., Filby, R. H., Lytle, F. W. and Greegor, R. B.
Finkelman, R. B.: see Senftle, F. E., Thorpe, A. N., Alexander, C. C. and Finkelman, R. B.
Finora, S.: see Teo, K. C., Finora, S. and Leja, J.
Finseth, Dennis H., Porzucek, Bernard J. and Koppenaal, David W.: Dialytic removal of particulate matter from coal conversion products, 1155
–, Przybylski, Zbigniew T. and Schmidt, Charles E.: Comparison of nitrogen bases generated via HCl precipitation and ion exchange chromatography, 1174
Fish, Richard H., Newton, Amos S. and Babbitt, Patricia C.: Fingerprinting and characterization of carboxylic acids in *in-situ* oil shale retort and process waters by capillary column gas chromatography–mass spectrometry, 227
Franklin, Howard D., Peters, William A. and Howard, Jack B.: Mineral matter effects on the rapid pyrolysis and hydropyrolysis of a bituminous coal. 1. Effects on yields of char, tar and light gaseous volatiles, 155
2. Effects on yields of C_2–C_8 hydrocarbons, 1213
Fredericks, P. M.: see Ng, N., Fredericks, P. M. and Bennett, M. L.
Freedman, W.: see Rosenthal, J. W., Dahlberg, A. J., Kuehler, C. W., Cash, D. R. and Freedman, W.
Frere, B.: see Stompel, Z. J., Bartle, K. D. and Frere, B.
Fujitsu, H.: see Mochida, I., Iwamoto, K., Tahara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Matsuoka, H., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Fukuda, M.: see Okamura, S., Sueyasu, M., Fukuda, M., Furujo, S. and Okane, K.
Fukushima, A.: see Kamiya, Y., Nagae, S., Yao, T., Hirai, H. and Fukushima, A.
Fuller, Michael P., Hamadeh, Issam M., Griffiths, Peter R. and Lowenhaupt, Douglas E.: Diffuse reflectance infrared spectrometry of powdered coals, 529
Fung, David P. C.: Laboratory gasification of five Canadian coals, 139
Furfari, Samuel and Cyprès, René: Hydropyrolysis of a high-sulphur–high-calcite Italian Sulcis coal. 2. Importance of the mineral matter on the sulphur behaviour, 453
–, –: Thermogravimetric study of the devolatilization of hydropyrolysis chars, 725
–: see Cyprès, R. and Furfari, S.
Furlong, Mark W., Baldwin, Robert M. and Bain, Richard L.: Reactivity of coal towards hydrogenation—ranking by kinetic measurements, 116
Furujo, S.: see Okamura, S., Sueyasu, M., Fukuda, M., Furujo, S. and Okane, K.
Fyfe, C. A.: see Dudley, R. L. and Fyfe, C. A.

Galiasso, R.: see Morales, A. and Galiasso, R.
Gavilán, J. M.: see Moliner, R., Osácar, J. and Gavilán, J. M.
George, A. E.: see Poirier, M. A. and George, A. E.
George, Zacheria M. and Schneider, Linda G.: Sodium hydroxide-assisted desulphurization of petroleum fluid coke, 1260
–, – and Kessick, Michael A.: Coking of bitumen from Athabasca oil sands. 1. Effect of calcium hydroxide and other reagents, 169
Gerstein, B. C.: see Murphy, P. DuB., Cassady, T. J. and Gerstein, B. C.
Gerus-Piasecka, I.: see Jasieńko, S. and Gerus-Piasecka, I.
Gethner, Jon S.: Observation of hydroxyl hydrogen in coal by *in-situ* FTIR difference spectroscopy, 1273
Giavarini, Carlo: Recovery of vanadium from ash-leaching solutions by solvent extraction, 549
Gilbert, T. D.: see Philp, R. P., Gilbert, T. D. and Russell, N. J.
Giulianelli, James L. and Williamson, Don L.: Comparison of microwave and radiofrequency low-temperature ashing of coal using ^{57}Fe Mössbauer spectroscopy of sulphur forms, 1267
Given, Peter H. and Sood, Ajay: Dependence of coal liquefaction behaviour on coal characteristics. 6. Product distributions from coals treated in a continuous-flow reactor, 968
–: see Shadle, L. J. and Given, P. H.
–: see Youtcheff, J. S. and Given, P. H.
Goldberg, Ira B. and Chung, Kwang E.: Dielectric constants of coal–water slurries at 750 MHz, 735
Gomi, Kenichi and Hishinuma, Yukio: Effect of pre-oxidation on reactivity of chars in steam, 77
Goodfield, Jonathan A. C. and Rees, Gwilym J.: Pyrotechnic reaction of boron and lead monoxide: heats of reaction and differential scanning calorimetry studies, 843
Gopal, M.: see Alper, H., Gopal, M. and Heveling, J.
Gräber, Wolf-Dieter and Hüttinger, Klaus J.: Chemistry of methane formation in hydrogasification of aromatics. 1. Non-substituted aromatics, 499
2. Aromatics with aliphatic groups, 505
3. Aromatics with heteroatoms, 510
Graeser, U.: see Jankowski, A., Doehler, W. and Graeser, U.

BEST COPY AVAILABLE
FOR REPRODUCTION

Grandy, D. W.: see Maciel, G. E., Sullivan, M. J., Petrakis, L. and Grandy, D. W.
–: see Petrakis, L., Grandy, D. W. and Jones, G. L.
Grant, D. M.: see Wilson, M. A., Collin, P. J., Pugmire, R. J. and Grant, D. M.
Greegor, R. B.: see Sandstrom, D. R., Filby, R. H., Lytle, F. W. and Greegor, R. B.
Griffiths, P. R.: see Fuller, M. P., Hamadeh, I. M., Griffiths, P. R. and Lowenhaupt, D. E.
Guin, J. A.: see Barwood, H. L., Curtis, C. W., Guin, J. A. and Tarrer, A. R.
–: see Barwood, H. L., Guin, J. A. and Curtis, C. W.
Gurdzińska, Elzbieta and Bukowski, Andrzej: Researches on improving the quality and quantity of the feed for catalytic cracking, 867
Gutierrez, Luis A. and Watkinson, A. Paul: Fluidized-bed gasification of some Western Canadian coals, 133

Hagaman, Edward W. and Woody, Madge C.: Structure analysis of coals by resolution enhanced solid state ^{13}C n.m.r. spectroscopy, 53
Hagen, Arnulf P., Bynum, Richard L., Kapila, Ved P. and Miller, Tammy S.: Reactions of small covalent molecules with coal: trifluoroacetic acid, 840
Hagiwara, T.: see Inui, T., Hagiwara, T. and Takegami, Y.
Halahel, T. M.: see Phillips, C. R., Luymes, R. and Halahel, T. M.
Hamadeh, I. M.: see Fuller, M. P., Hamadeh, I. M., Griffiths, P. R. and Lowenhaupt, D. E.
Hamza, H. A.: see Vargha-Butler, E. I., Soulard, M. R., Hamza, H. A. and Neumann, A. W.
Handy, C. Indhira and Stock, Leon M.: Reductive alkylation of Illinois No. 6 coal in liquid ammonia, 700
Hara, Y.: see Sakawa, M., Sakurai, Y. and Hara, Y.
Harris, H. G.: see Noble, R. D., Tucker, W. F. and Harris, H. G.
Harrison, D. P.: see McCown, M. S. and Harrison, D. P.
Hartwell, Richard R., Stacey, Albert E. and Wilkinson, Herbert C.: Effect of low-volatile additives on the structure and strength of cokes, 329
Hatswell, M.: see Cochran, S. J., Hatswell, M., Jackson, W. R. and Larkins, F. P.
–: see Marshall, M., Jackson, W. R., Larkins, F. P., Hatswell, M. R. and Rash, D.
Hattori, H.: see Tanabe, K., Hattori, H., Yamaguchi, T., Yokoyama, S., Umematsu, J. and Sanada, Y.
–: see Yokono, T., Shibata, S., Min-Ung, C., Hattori, H., Tanabe, K. and Sanada, Y.
–: see Yokono, T., Shibata, S., Sanada, Y., Hattori, H. and Tanabe, K.
Havens, John R., Koenig, Jack L. and Painter, Paul C.: Chemical characterization of solid coals through magic-angle ^{13}C nuclear magnetic resonance, 393
Hays, Douglas, Patrick, John W. and Walker, Alan: A scanning electron microscope study of fractured and etched metallurgical coke surfaces, 232
Heap, M. P.: see Chen, S. L., Heap, M. P., Pershing, D. W. and Martin, G. B.
Hertan, P. A.: see Cassidy, P. J., Hertan, P. A., Jackson, W. R., Larkins, F. P. and Rash, D.
Heveling, J.: see Alper, H., Gopal, M. and Heveling, J.
Hicks, Donald G., O'Reilly, James E. and Koppenaal, David W.: On the correlation of the weight per cent ash of coals and their silicon content, 150
Hirai, H.: see Kamiya, Y., Nagae, S., Yao, T., Hirai, H. and Fukushima, A.
Hishinuma, Y.: see Gomi, K. and Hishinuma, Y.
Hodek, W.: Fundamental research in the European Community on the chemical and physical properties of coal, 570
Hombach, Hans-Peter: Particle size and molecular weights of derivatives from coal, 215
Horn, Frederick L. and Steinberg, Meyer: Control of carbon dioxide emissions from a power plant (and use in enhanced oil recovery), 415
Horwitz, E. P.: see Dyrkacz, G. R. and Horwitz, E. P.
Holda, S.: see Buczek, B., Czapliński, A., Czepirski, L. and Holda, S.
–: see Czapliński, A. and Holda, S.
Hessley, Rita K., Benjamin, Ben M. and Larsen, John W.: Deno oxidation. Isolation of high-molecular-weight aliphatic material from coals and further model compound studies, 1085
Hosokawa, S.: see Ouchi, K., Hosokawa, S., Maeda, K. and Itoh, H.
Howard, J. B.: see Franklin, H. D., Peters, W. A. and Howard, J. B.
Hung, Ming-Hong and Stock, Leon M.: Thermal decomposition of 1,4-diphenylbutane, 1161
Hunt, J. D.: see Squires, T. G., Venier, C. G., Hunt, J. D., Shei, J. C. and Smith, B. F.
Hurtubise, R. J.: see Silver, H. F., Corry, R. G., Miller, R. L. and Hurtubise, R. J.
Huss, Ethan B. and Burnham, Alan K.: Gas evolution during pyrolysis of various Colorado oil shales, 1188
Hüttinger, Klaus J. and Krauss, Werner: Catalytic activity of coal minerals in water vapour gasification of coal, 291
–: see Gräber, W.-D. and Hüttinger, K. J.

Inoue, Kazuhiko, Yokoyama, Susumu and Sanada, Yuzo: Chemical structure of coal-derived oil. Structural changes of each compound type with severity of hydrogenation, 245
Inui, Tomoyuki, Hagiwara, Takashi and Takegami, Yoshinobu: Prevention of catalyst deactivation caused by coke formation in the methanation of carbon oxides, 537
Irgolic, K. J.: see Mohan, M. S., Zingaro, R. A., Macfarlane, R. D. and Irgolic, K. J.
Ito, H.: see Kitaoka, Y., Ueda, M., Murata, K., Ito, H. and Mikami, K.
Itoh, H.: see Mondragon, F., Itoh, H. and Ouchi, K.
–: see Mondragon, F., Makabe, M., Itoh, H. and Ouchi, K.
–: see Ouchi, K., Hosokawa, S., Maeda, K. and Itoh, H.
Itoh, M.: see Suzuki, T., Itoh, M., Takegami, Y. and Watanabe, Y.
Iwamoto, K.: see Mochida, I., Iwamoto, K., Tahara, T., Korai, Y., Fujitsu, H. and Takeshita, K.

Jackson, W. R.: see Cassidy, P. J., Hertan, P. A., Jackson, W. R., Larkins, F. P. and Rash, D.
–: see Cochran, S. J., Hatswell, M., Jackson, W. R. and Larkins, F. P.
–: see Marshall, M., Jackson, W. R., Larkins, F. P., Hatswell, M. R. and Rash, D.
Jacobs, I. S.: see Maxwell, E., Kelland, D. R., Jacobs, I. S. and Levinson, L. M.
Jankowski, Alfons, Doehler, Werner and Graeser, Ulrich: Upgrading of syncrude from coal, 1032
Jarand, M. L.: see Kim, S. S., Jarand, M. L. and Durai-Swamy, K.
Jasieńko, Stefan and Gerus-Piasecka, Irena: Properties and structure of group components separated from vitrites of coking coals by selective thermosolvolysis, 557
–, –: Structure of the cokes obtained from the group components separated from coking coal vitrites by selective thermosolvolysis, 565
Jenkins, R. G.: see Maloney, D. J., Jenkins, R. G. and Walker, P. L. Jr
Jones, A. D.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Jones, D. B.: see Rajeshwar, K., Jones, D. B. and DuBow, J. B.
Jones, Derry W., Pakdel, Hooshang and Bartle, Keith D.: Cyclic alkanes as geochemical markers in coal liquefaction products, 44
Jones, G. L.: see Petrakis, L., Grandy, D. W. and Jones, G. L.
Jurkiewicz, Antoni, Marzec, Anna and Piślewski, Narcyz: Molecular structure of bituminous coal studied with pulse nuclear magnetic resonance, 647

Kalra, Ram L., Choudhury, Ratna and Sarkar, Manoj K.: Liquid-phase alkylation of Assam (Baragolai) coal, 1286
Kamiya, Yoshio, Nagae, Shinichi, Yao, Tadashi, Hirai, Harumi and Fukushima, Atushi: Effects of solvent and iron-compounds on the liquefaction of brown coal, 906
Kanda, N.: see Yoshida, T., Nakata, Y., Yoshida, R., Ueda, S., Kanda, N. and Maekawa, Y.
Kapila, V. P.: see Hagen, A. P., Bynum, R. L., Kapila, V. P. and Miller, T. S.
Karsner, Grant G. and Perlmutter, Daniel D.: Model for coal oxidation kinetics. 1. Reaction under chemical control, 29
2. An effectiveness factor interpretation, 35
Kasagi, M.: see Nagai, M., Seiyama, H. and Kasagi, M.
Katsushima, S.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Kelland, D. R.: see Maxwell, E., Kelland, D. R., Jacobs, I. S. and Levinson, L. M.
Kelvin, Norbert V. P. and Oliver, Mervyn J.: Bench-scale continuous hydrogenation of Australian coals—study of iron catalysts and recycle solvent composition, 912
Kessick, M. A.: see George, Z. M., Schneider, L. G. and Kessick, M. A.
Khan, Mohammed M.: Molecular weight distributions and size fractionations of H-coal liquids, 553
Kikkawa, S.: see Miyake, M., Sakashita, H., Nomura, M. and Kikkawa, S.
–: see Nomura, M., Kimura, K. and Kikkawa, S.
–: see Nomura, M., Miyake, M., Sakashita, H. and Kikkawa, S.
–: see Nomura, M., Yoshida, T., Kikkawa, S. and Philp, P.

BEST COPY AVAILABLE
FOR REPRODUCTION

Kim, Soon S., Jarand, M. L. and Durai-Swamy, K.: E.s.r. study of pyrolysis vapour of coal, 1124
Kimura, K.: see Nomura, M., Kimura, K. and Kikkawa, S.
King, Hsiang-Hui and Stock, Leon M.: Aspects of the chemistry of donor solvent coal dissolution. The hydrogen–deuterium exchange reactions of tetralin-d_{12} with Illinois No. 6 coal, coal products and related compounds, 257
–, –: Aspects of the chemistry of donor solvent coal dissolution. The role of phenol in the reaction, 1172
Kiss, L. T.: see Perry, G. J., Allardice, D. J. and Kiss, L. T.
Kitaoka, Yoji, Ueda, Mikio, Murata, Katsuhide, Ito, Hidenobu and Mikami, Koichi: Effects of catalyst and vehicle in coal liquefaction, 919
Kiya, K.: see Mashimo, K., Nakayama, I., Kiya, K. and Wainai, T.
Knight, A. Timothy and Sergeant, Geoffrey D.: Reactivity of Australian coal-derived chars to carbon dioxide, 145
Koch, C. C.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Koenig, J. L.: see Havens, J. R., Koenig, J. L. and Painter, P. C.
Komiyama, Masaharu, Nojima, Shigeru and Ogino, Yoshisada: Studies on catalysis by molten metals. 14. Catalytic cracking of asphalts at low temperature, 542
Koppenaal, D. W.: see Finseth, D. H., Porzucek, B. J. and Koppenaal, D. W.
–: see Hicks, D. G., O'Reilly, J. E. and Koppenaal, D. W.
Korai, Y.: see Mochida, I., Iwamoto, K., Tahara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Matsuoka, H., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Köser, Heinz J. K., Schmalstieg, Gerd and Siemers, Werner: Densification of water hyacinth—basic data, 791
Kosky, P. G.: see Spiro, C. L. and Kosky, P. G.
Krauss, W.: see Hüttinger, K. J. and Krauss, W.
van Krevelen, Dirk W.: Development of coal research—a review, 786
Krishnan, S.: see Sinha, N. C., Sinha, B. K., Roy, T. K. and Krishnan, S.
Kuehler, C. W.: see Rosenthal, J. W., Dahlberg, A. J., Kuehler, C. W., Cash, D. R. and Freedman, W.
Kuehn, Debbie W., Snyder, Randy W., Davis, Alan and Painter, Paul C.: Characterization of vitrinite concentrates. 1. Fourier Transform infrared studies, 682

Lambert, Joseph M. Jr: Alternative interpretation of coal liquefaction catalysis by pyrite, 777
LaNauze, Robert D.: Coal devolatilization in fluidized-bed combustors, 771
Lang, Robert J. and Neavel, Richard C.: Behaviour of calcium as a steam gasification catalyst, 620
Larkins, F. P.: see Cassidy, P. J., Hertan, P. A., Jackson, W. R., Larkins, F. P. and Rash, D.
–: see Cochran, S. J., Hatswell, M., Jackson, W. R. and Larkins, F. P.
–: see Marshall, M., Jackson, W. R., Larkins, F. P., Hatswell, M. R. and Rash, D.
Larsen, John W., Nadar, P. A., Mohammadi, M. and Montano, Pedro A.: Spatial distribution of oxygen in coals. Development of a tin labelling reaction and Mössbauer studies, 889
–: see Hessley, R. K., Benjamin, B. M. and Larsen, J. W.
Later, D. W.: see Wilson, B. W., Willey, C., Later, D. W. and Lee, M. L.
Lazarov, Lazarin, Stefanova, Maia and Petrov, Kostadin: Structural study of coals by means of directly-prepared potassium–coal adducts, 58
Lee, M. L.: see Wilson, B. W., Willey, C., Later, D. W. and Lee, M. L.
Leja, J.: see Teo, K. C., Finora, S. and Leja, J.
Lenz, Uwe, Dolkemeyer, Wilfried, Ritter, Günter, Weiner, Bernd and Wolfrum, Erhard: Effects of brown coal quality and process parameters on the hydroliquefaction of brown coal, 947
Lester, Thomas, W., Polavarapu, Jayram and Merklin, Joseph F.: Formation and destruction of H_2S in the short residence time pyrolysis of pulverized coal and model compounds, 493
Levenspiel, O.: see Park, D. and Levenspiel, O.
Levinson, L. M.: see Maxwell, E., Kelland, D. R., Jacobs, I. S. and Levinson, L. M.
Lindahl, Peter C. and Bishop, Ann M.: Determination of trace elements in coal by an oxygen bomb combustion/atomic absorption spectrophotometric method, 658
Liu, S.: see Taylor, G. H., Shibaoka, M. and Liu, S.
Livingston, R.: see Zeldes, H. and Livingston, R.
Lockhart, Neville C.: Electro-osmotic dewatering of coal froth flotation concentrates, 780
Lompa-Krzymien, Ludmila: Complete removal of sulphur from coal using solutions containing cupric ions, 871
Lowenhaupt, D. E.: see Fuller, M. P., Hamadeh, I. M., Griffiths, P. R. and Lowenhaupt, D. E.
Luther, H.: see Melchior, E. and Luther, H.
Luymes, R.: see Phillips, C. R., Luymes, R. and Halahel, T. M.
Lynch, Leo J. and Webster, David S.: Effect of thermal treatment on the interaction of brown coal and water: a nuclear magnetic resonance study, 271
Lytle, F. W.: see Sandstrom, D. R., Filby, R. H., Lytle, F. W. and Greegor, R. B.

McCarthy, David J.: Some effects of overheating and carbon burn-off on the performance of fluidized-bed combustors, 298
McCown, M. Steven and Harrison, Douglas P.: Pyrolysis and hydropyrolysis of Louisiana lignite, 1149
Macfarlane, R. D.: see Mohan, M. S., Zingaro, R. A., Macfarlane, R. D. and Irgolic, K. J.
McNeil, R. I.: see Cronauer, D. C., McNeil, R. I., Young, D. C. and Ruberto, R. G.
Machnikowski, J.: see Marsh, H., Wilkinson, A. and Machnikowski, J.
Maciel, Gary E., Sullivan, Mark J., Petrakis, Leon and Grandy, D. W.: ^{13}C nuclear magnetic resonance characterization of coal macerals by magic-angle spinning, 411
–: see Miknis, F. P., Szeverenyi, N. M. and Maciel, G. E.
Maeda, K.: see Ouchi, K., Hosokawa, S., Maeda, K. and Itoh, H.
Maekawa, Y.: see Yoshida, T., Nakata, Y., Yoshida, R., Ueda, S., Kanda, N. and Maekawa, Y.
Majid, Abdul, Sirianni, Aurelio F. and Ripmeester, John A.: Comparative study of three laboratory methods for the extraction of bitumen from oil sands, 477
Makabe, M.: see Mondragon, F., Makabe, M., Itoh, H. and Ouchi, K.
Mallon, R. G.: see Taylor, R. W., Burnham, A. K., Mallon, R. G. and Morris, C. J.
Maloney, Daniel J., Jenkins, Robert G. and Walker, Philip L. Jr: Low-temperature air oxidation of caking coals. 2. Effect on swelling and softening properties, 175
Maples, D.: see Cundy, V. A. and Maples, D.
Marks, Wilton L. and Atkinson, Patricia A.: High voidage fluidization—the prediction of particle and fluid velocities, 210
Marsh, Harry and Crawford, David: Structure in a coking coal vitrinite—a high resolution electron microscopy study, 876
–, Wilkinson, Andrew and Machnikowski, Jacek: Study of the reaction of cokes with KOH under nitrogen, 834
Marshall, Marc, Jackson, W. Roy, Larkins, Frank P., Hatswell, Mark R. and Rash, Douglas: Synergistic catalytic effect in the hydrogenation of Victorian brown coals, 121
Martin, G. B.: see Chen, S. L., Heap, M. P., Pershing, D. W. and Martin, G. B.
Marzec, A.: see Jurkiewicz, A., Marzec, A. and Pilewski, N.
Mashimo, Kiyoshi, Nakayama, Ikuo, Kiya, Kozo and Wainai, Tohru: Determination of bridgehead aromatic carbons in coal-derived materials, 193
Matsumura, T.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Matsuoka, H.: see Mochida, I., Matsuoka, H., Korai, Y., Fujitsu, H. and Takeshita, K.
Mawashima, A.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Maxwell, Emanuel, Kelland, David R., Jacobs, Israel S. and Levinson, Lionel M.: Magnetic separation and thermo-magneto-chemical properties of coal liquefaction mineral particulates, 369
Melchior, Daniel C., Wildeman, T. R. and Williamson, D. L.: Mössbauer investigation of the transformations of the iron minerals in oil shale during retorting, 516
Melchior, Eckhard and Luther, H.: Measurement of true specific heats of bituminous coals of different rank, and of a high-temperature coke, in the temperature range 30–350°C, 1071
Merklin, J. F.: see Lester, T. W., Polavarapu, J. and Merklin, J. F.
Mikami, K.: see Kitaoka, Y., Ueda, M., Murata, K., Ito, H. and Mikami, K.
Miknis, Francis P., Szeverenyi, Nikolaus M. and Maciel, Gary E.: Characterization of the residual carbon in retorted oil shale by solid-state ^{13}C n.m.r., 341
–: see Netzel, D. A. and Miknis, F. P.
Miller, R. L.: see Silver, H. F., Corry, R. G.,

BEST COPY AVAILABLE
FOR REPRODUCTION

Miller, R. L. and Hurtubise, R. J.
Miller, T. S.: see Hagen, A. P., Bynum, R. L., Kapila, V. P. and Miller, T. S.
Minard, R. D.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Min-Ung, C.: see Yokono, T., Shibata, S., Min-Ung, C., Hattori, H., Tanabe, K. and Sanada, Y.
Miyake, Mikio, Sakashita, Hiroyuki, Nomura, Masakatsu and Kikkawa, Shōichi: Catalytic activities of binary molten salts composed of $ZnCl_2$ and metal chlorides for hydrocracking of phenanthrene, 124
Miyake, M.: see Nomura, M., Miyake, M., Sakashita, H. and Kikkawa, S.
Mochida, Isao, Iwamoto, Kenjiro, Tahara, Tsutomu, Korai, Yozo, Fujitsu, Hiroshi and Takeshita, Kenjiro: Liquefaction of subbituminous coals under apparently non-hydrogenative conditions, 603
–, Matsuoka, Hideichi, Korai, Yozo, Fujitsu, Hiroshi and Takeshita, Kenjiro: Carbonization of coals to produce anisotropic cokes. 1. Modifying activities of some additives in the co-carbonization of low-rank coals, 587
2. Up-grading of modification activities of petroleum process residues and their correlation with structural parameters, 595
–, Moriguchi, Yuji, Shimohara, Takaaki, Korai, Yozo, Fujitsu, Hiroshi and Takeshita, Kenjiro: Liquefaction of Yallourn brown coal at low pressures and rapid heating rates, 1014
Mohammadi, M.: see Larsen, J. W., Nadar, P. A., Mohammadi, M. and Montano, P. A.
Mohan, Mysore S., Zingaro, Ralph A., Macfarlane, Ronald D. and Irgolic, Kurt J.: Characterization of a uranium-rich organic material obtained from a South Texas lignite, 853
Mohana Rao, J. R.: see Pai Verneker, V. R., Mohana Rao, J. R., Subba Rao, B. K. and Tirunarayanan, M. A.
Moliner, Rafael, Osácar, J. and Gavilán, Jose M.: Gel permeation chromatography applied to the study of the nitrohumic acids from coal, 443
Mondragon, Fanor, Itoh, Hironori and Ouchi, Koji: Solubility increase of coal by alkylation with various alcohols, 1131
–, Makabe, Masataka, Itoh, Hironori and Ouchi, Koji: Coal liquefaction by the hydrogen produced from methanol, 392
Montano, P. A.: see Bommannavar, A. S. and Montano, P. A.
–: see Larsen, J. W., Nadar, P. A., Mohammadi, M. and Montano, P. A.
Morales, Alfredo and Galiasso, Roberto: Adsorption mechanism of Boscan porphyrins on MoO_3, Co_3O_4 and $CoMo/Al_2O_3$, 13
Moriguchi, Y.: see Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Morris, C. J.: see Taylor, R. W., Burnham, A. K., Mallon, R. G. and Morris, C. J.
Moza, Ashok K. and Austin, Leonard G.: Studies on slag deposit formation in pulverized-coal combustors. 3. Preliminary hypothesis for the sticking behaviour of slag drops on steels, 161
Mraz, Thomas J., Rajeshwar, Krishnan and DuBow, Joel B.: Thermophysical characterization of oil sands. 2. Acoustic properties, 240
Murata, K.: see Kitaoka, Y., Ueda, M., Murata, K., Ito, H. and Mikami, K.
Murdoch, P.: see Desypris, J., Murdoch, P. and Williams, A.
Murphy, P. DuBois, Cassady, T. J. and Gerstein, B. C.: Determination of the apparent ratio of quaternary to tertiary aromatic carbons in an anthracite coal by ^{13}C, ^{1}H dipolar dephasing, 1233
Mutso, Rein and DuBroff, William: Correlation of reactivity and electrical resistivity of coke, 305

Nadar, P. A.: see Larsen, J. W., Nadar, P. A., Mohammadi, M. and Montano, P. A.
Nagae, S.: see Kamiya, Y., Nagae, S., Yao, T., Hirai, H. and Fukushima, A.
Nagai, Makoto, Seiyama, Hideto and Kasagi, Motomu: Effects of ultrasonic irradiation on the viscosity of fuel oils, 1160
Nakako, Yukio, Katsushima, Shinich, Oya, Shinich, Okui, Toshiaki, Matsumura, Tetsuo, Osawa, Toshio, Saito, Kaisaburo, Mawashima, Akihiro and Tanaka, Nobuo: Kinetic studies on Victorian brown coal hydroliquefaction, 953
Nakata, Y.: see Yoshida, T., Nakata, Y., Yoshida, R., Ueda, S., Kanda, N. and Maekawa, Y.
Nakayama, I.: see Mashimo, K., Nakayama, I., Kiya, K. and Wainai, T.
Neavel, R. C.: see Lang, R. J. and Neavel, R. C.
Netzel, Daniel A. and Miknis, Francis P.: N.m.r. study of US eastern and western shale oils produced by pyrolysis and hydropyrolysis, 1101
Neumann, A. W.: see Vargha-Butler, E. I., Soulard, M. R., Hamza, H. A. and Neumann, A. W.
Newton, A. S.: see Fish, R. H., Newton, A. S. and Babbitt, P. C.
Ng, Nancy, Fredericks, Peter M. and Bennett, Marlene L.: Co-carbonization of fractions of solvent-refined coal with a non-coking coal, 390
Nicole, D.: see Le Roux, M., Nicole, D. and Delpuech, J.-J.
Niemann, Klaus and Richter, Udo-Burckhard: Chemical characterization of coal. 3. Qualitative and quantitative aspects of the reductive methylation of coal, 423
Niksa, S. J., Russel, W. B. and Saville D. A.: A captive sample reactor for kinetic studies of coal pyrolysis and hydropyrolysis on short time scales, 1207
Noble, Richard D., Tucker, W. F. and Harris, H. G.: Isothermal oil shale pyrolysis. 1. Oil generation and composition at various pressures, 482
Nojima, S.: see Komiyama, M., Nojima, S. and Ogino, Y.
Nomura, Masakatsu, Kimura, Kunio and Kikkawa, Shoichi: Effectiveness of both $ZnCl_2$- and $SnCl_2$-containing molten salt catalysts for hydrogenation of Big Ben coal in the absence of a solvent, 1119
–, Miyake, Mikio, Sakashita, Hiroyuki and Kikkawa, Shōichi: Hydrogenation of Yūbari coal coated with $ZnCl_2$–MCl_n ($CuCl$, $CrCl_3$ and $MoCl_5$) catalyst melts, 18
–, Yoshida, Takeshi, Kikkawa, Shōichi and Philp, Paul: Effects of petrographic constituents in three Yallourn brown coal lithotypes on hydroliquefaction processes, 472
Nomura, M.: see Miyake, M., Sakashita, H., Nomura, M. and Kikkawa, S.

Odoerfer, G. A.: see Derbyshire, F. J., Odoerfer, G. A., Varghese, P. and Whitehurst, D. D.
–: see Whitehurst, D. D., Butrill, S. E. Jr, Derbyshire, F. J., Farcasiu, M., Odoerfer, G. A. and Rudnick, L. R.
Ogino, Y.: see Komiyama, M., Nojima, S. and Ogino, Y.
Okamura, Shozo, Sueyasu, Maxanobu, Fukuda, Mitsuichiro, Furujo, Sakae and Okane, Koki: Coal gasification using a molten iron bath, 1027
Okane, K.:see Okamura, S., Sueyasu, M., Fukuda, M., Furujo, S. and Okane, K.
Okui, T.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Oliver, M. J.: see Kelvin, N. V. P. and Oliver, M. J.
O'Reilly, J. E.: see Hicks, D. G., O'Reilly, J. E. and Koppenaal, D. W.
Osácar, J.: see Moliner, R., Osácar, J. and Gavilán, J. M.
Osawa, T.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Oswald, G. E.: see Poutsma, M. L., Youngblood, E. L., Oswald, G. E. and Cochran, H. D.
Ōtani, S.: see Ōya, A., Akuzawa, K. and Ōtani, S.
Ottaway, Martyn: Use of thermogravimetry for proximate analysis of coals and cokes, 713
Ouchi, Koji, Hosokawa, Shinya, Maeda, Kazuhiro and Itoh, Hironori: Coal hydrogenolysis in the presence of NaOH, 627
–: see Mondragon, F., Itoh, H. and Ouchi, K.
–: see Mondragon, F., Makabe, M., Itoh, H. and Ouchi, K.
Ōya, Asao, Akuzawa, Kazumasa and Ōtani, Sugio: Effects of catalytic graphitization on Vickers microhardness of a phenolic resin carbon and cokes, 1127
Oya, S.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.

Padrick, T. D.: see Thomas, M. G., Padrick, T. D., Stohl, F. V. and Stephens, H. P.
Pai Verneker, Venkatesh R., Mohana Rao, Josyula R., Subba Rao, Balisagar, K. and Tirunarayanan, Mandayam A.: Thermal decomposition and ignition of coal, 634
Painter, P. C.: see Havens, J. R., Koenig, J. L. and Painter, P. C.
–: see Kuehn, D. W., Snyder, R. W., Davis, A. and Painter, P. C.
Pakdel, H.: see Jones, D. W., Pakdel, H. and Bartle, K. D.
Papirer, Eugène, Bourgeois, Claudine, Siffert, Bernard and Balard, Henri: Chemical nature and water/oil emulsifying properties of asphaltenes, 732
Park, Dalkeun and Levenspiel, Octave: Plume model for sulphur capture in large-scale, atmospheric fluidized-bed combustors (AFBC), 578
Parsons, D. A.: see Clarke, J. W., Rantell, T. D. and Parsons, D. A.

BEST COPY AVAILABLE
FOR REPRODUCTION

Patel, K. M.: see Baltisberger, R. J., Patel, K. M., Woolsey, N. F. and Stenberg, V. I.
Patrick, John W.: see Hays, D., Patrick, J. W. and Walker, A.
Penninger, Johannes M. L. and Versluis, Kees: Thermal cracking of indan in deuterium at 8 MPa pressure, 283
Penrose, J. C.: see Cotton, J. D., Penrose, J. C. and Wells, P. R.
Pereira Matos, F. de A.: see Schuchardt, U. and Pereira Matos, F. de A.
Perlmutter, D. D.: see Karsner, G. G. and Perlmutter, D. D.
Perry, Geoffrey J., Allardice, David J. and Kiss, Louis T.: Variation in Victorian brown coal characteristics and hydrogenation potential, 1058
Pershing, D. W.: see Chen, S. L., Heap, M. P., Pershing, D. W. and Martin, G. B.
Petela, Ryszard: Analyses of atomization processes, 1135
Peters, W. A.: see Franklin, H. D., Peters, W. A. and Howard, J. B.
Petrakis, Leon, Grandy, D. W. and Jones, G. L.: Free radicals in coal and coal conversions. 7. An in-depth experimental investigation and statistical correlative model of the effects of residence time, temperature and solvents, 21
–: see Maciel, G. E., Sullivan, M. J., Petrakis, L. and Grandy, D. W.
Petrov, K.: see Lazarov, L., Stefanova, M. and Petrov, K.
Philip, C. V. and Anthony, Rayford G.: Chemistry of Texas lignite liquefaction in a hydrogen-donor solvent system, 351
–, –: Separation of coal-derived liquids by gel permeation chromatography, 357
Phillips, Colin R., Luymes, Richard and Halabel, Tarek M.: Enthalpies of pyrolysis and oxidation of Athabasca oil sands, 639
Philp, P.: see Nomura, M., Yoshida, T., Kikkawa, S. and Philp, P.
Philp, R. Paul, Gilbert, Trevor D. and Russell, Nigel J.: Characterization by pyrolysis–gas chromatography–mass spectrometry of the insoluble organic residues derived from the hydrogenation of *Tasmanites* sp. oil shale, 221
Piślewski, N.: see Jurkiewicz, A., Marzec, A. and Piślewski, N.
Poirier, Marc A. and George, Albert E.: Selective separation and identification of olefins in petroleum and synthetic fuel naphtha, 182
Polavarapu, J.: see Lester, T. W., Polavarapu, J. and Merklin, J. F.
Pollack, S. S.: see Coates, D. J., Evans, J. W. and Pollack, S. S.
Porzucek, B. J.: see Finseth, D. H., Porzucek, B. J. and Koppenaal, D. W.
Potter, T.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Poutsma, Marvin L., Youngblood, E. Lloyd, Oswald, George E. and Cochran, Henry D.: Carbon-14 tracer study of the fate of tetralin under simulated SRC-I coal liquefaction conditions, 314
Pratt, Kerry C. and Christoverson, Victor: Hydrogenation of a model hydrogen-donor system using activated red mud catalyst, 460
Przybylski, Z. T.: see Finseth, D. H., Przybylski, Z. T. and Schmidt, C. E.
Pugmire, R. J.: see Wilson, M. A., Collin, P. J., Pugmire, R. J. and Grant, D. M.
Rajca, Irena W., Abalayeva, Valentina V. and Borowski, Andrzej F.: Hydrogenation of coal-derived liquids in the presence of rhodium complexes, 1292
Rajeshwar, Krishnan, Jones, Donald B. and DuBow, Joel B.: Thermophysical characterization of oil sands. I. Specific heats, 237
–: see Mraz, T. J., Rajeshwar, K. and DuBow, J. B.
Rantell, T. D.: see Clarke, J. W., Rantell, T. D. and Parsons, D. A.
–: see Clarke, J. W., Rantell, T. D. and Snape, C. E.
Rash, D.: see Cassidy, P. J., Hertan, P. A., Jackson, W. R., Larkins, F. P. and Rash, D.
–: see Marshall, M., Jackson, W. R., Larkins, F. P., Hatswell, M. R. and Rash, D.
Rees, G. J.: see Goodfield, J. A. C. and Rees, G. J.
Regtop, Robert A., Crisp, Phillip T. and Ellis, John: Chemical characterization of shale oil from Rundle, Queensland, 185
Richter, U.-B.: see Niemann, K. and Richter, U.-B.
Ripmeester, J. A.: see Majid, A., Sirianni, A. F. and Ripmeester, J. A.
Ritter, G.: see Lenz, U., Dolkemeyer, W., Ritter, G., Weiner, B. and Wolfrum, E.
Rix, C. J.: see Awadalla, A. A., Rix, C. J., Shaw, I. M. and Smith, B. E.
Romey, Ingo: Cleaning of coal-derived oils by filtration, 988
Romovacek, George R.: Volatility test for bituminous materials, 430
Rosenthal, Joel W., Dahlberg, Arthur J., Kuehler, Christopher W., Cash, Dennis R. and Freedman, Walter: The Chevron coal liquefaction process (CCLP), 1045
Rottendorf, H.: see Wilson, M. A., Rottendorf, H., Collin, P. J., Vassallo, A. M. and Barron, P. F.
Le Roux, Martine, Nicole, Daniel and Delpuech, Jean-Jacques: Performance indices for coal liquefaction solvents, 755
Roy, T. K.: see Sinha, N. C., Sinha, B. K., Roy, T. K. and Krishnan, S.
Ruberto, R. G.: see Abichandani, J. S., Shah, Y. T., Cronauer, D. C. and Ruberto, R. G.
–: see Cronauer, D. C., McNeil, R. I., Young, D. C. and Ruberto, R. G.
Rudnick, L. R.: see Whitehurst, D. D., Butrill, S. E. Jr, Derbyshire, F. J., Farcasiu, M., Odoerfer, G. A. and Rudnick, L. R.
Russel, W. B.: see Niksa, S. J., Russel, W. B. and Saville, D. A.
Russell, N. J.: see Philp, R. P., Gilbert, T. D. and Russell, N. J.
–: see Shibaoka, M., Russell, N. J. and Bodily, D. M.
Ruyter, Herman P.: A coalification model, 1182

Saito, K.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Sakashita, H.: see Miyake, M., Sakashita, H., Nomura, M. and Kikkawa, S.
–: see Nomura, M., Miyake, M., Sakashita, H. and Kikkawa, S.
Sakawa, Mitsuhiro, Sakurai, Yoshihisa and Hara, Yukiaki: Influence of coal characteristics on CO_2 gasification, 717
Sakurai, Y.: see Sakawa, M., Sakurai, Y. and Hara, Y.
Salim, Sadie S. and Bell, Alexis T.: Effects of Lewis acid catalysts on the hydrogenation and cracking of two-ring aromatic and hydroaromatic structures related to coal, 745
Sanada, Y.: see Inoue, K., Yokoyama, S. and Sanada, Y.
–: see Tanabe, K., Hattori, H., Yamaguchi, T., Yokoyama, S.-Umematsu, J. and Sanada, Y.
–: see Yokono, T., Shibata, S., Min-Ung, C., Hattori, H., Tanabe, K. and Sanada, Y.
–: see Yokono, T., Shibata, S., Sanada, Y., Hattori, H. and Tanabe, K.
Sandstrom, Donald R., Filby, Royston H., Lytle, Farrel W. and Greegor, Robert B.: Study of Ti in solvent-refined coal by X-ray absorption spectroscopy, 195
Santini, R.: see Benedetti, E., Santini, R., D'Alessio, A. and Vergamimi, P.
Sarac, S.: see Ekinci, E., Sarac, S. and Bartle, K. D.
Sarkar, M. K.: see Kalra, R. L., Choudhury, R. and Sarkar, M. K.
Sastre, H.: see Coca, J., Bueno, J. L. and Sastre, H.
Sato, Yoshiki: Liquefaction of blended coal, 875
Saville, D. A.: see Niksa, S. J., Russel, W. B. and Saville, D. A.
Scelza, S. T.: see Suuberg, E. M. and Scelza, S. T.
Schmalstieg, G.: see Köser, H. J. K., Schmalstieg, G. and Siemers, W.
Schmidt, C. E.: see Finseth, D. H., Przybylski, Z. T. and Schmidt, C. E.
Schneider, L. G.: see George, Z. M. and Schneider, L. G.
–: see George, Z. M., Schneider, L. G. and Kessick, M. A.
Schoening, F. R. Ludwig: X-ray structural parameter for coal, 695
Schuchardt, Ulf and Periera Matos, Francisco de Assis: Liquefaction of sugar cane bagasse with formate and water, 106
Schulten, Hans-Rolf: Pyrolysis-field desorption mass spectrometry of coal, 670
Seehra, Mohindar S. and Srinivasan Gopatan: Electron spin resonance from impurities in coal-derived pyrites, 396
–: see Srinivasan, G. and Seehra, M. S.
Seiyama, H.: see Nagai, M., Seiyama, H. and Kasagi, M.
Senftle, Frank E., Thorpe, Arthur N., Alexander, Corrinne C. and Finkelman, Robert B.: Ferromagnetic and superparamagnetic contamination in pulverized coal, 81
Sergeant, G. D.: see Knight, A. T. and Sergeant, G. D.
Seshadri, Kalkunte S., Albaugh, Edgar W. and Bacha, John D.: Characterization of needle coke feedstocks by magnetic resonance spectroscopy, 336
–, Bacha, John D. and Albaugh, Edward W.: Structural characterization of fractions of petroleum pitch and ethylene pyrolysis tar by ^1H and ^{13}C n.m.r. spectroscopy, 1095
Shadle, Lawrence J. and Given, Peter H.: Dependence of coal liquefaction behaviour on coal characteristics. 7. Structural differences between coals of different rank and the asphaltenes derived from them, 972
Shah, Y. T.: see Abichandani, J. S., Shah, Y. T., Cronauer, D. C. and Ruberto, R. G.

BEST COPY AVAILABLE
FOR REPRODUCTION

Sharp, James J.: Treatment of fuel peat to enhance moisture removal, 741
Shaw, I. M.: see Awadalla, A. A., Rix, C. J., Shaw, I. M. and Smith, B. E.
Shei, J. C.: see Squires, T. G., Venier, C. G., Hunt, J. D., Shei, J. C. and Smith, B. F.
Sherrard, R. S.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Shibaoka, Michio: Behaviour of huminite macerals from Victorian brown coal in tetralin in autoclaves at temperatures of 300–380°C, 265
–: Mesophase formation and the degree of hydrogenation of coal, 303
–, Russell, Nigel J. and Bodily, David M.: Coal liquefaction model: microscopic examination of solids from metal halide catalysed coal hydrogenation experiments, 201
–: see Taylor, G. H., Shibaoka, M. and Liu, S.
Shibata, S.: see Yokono, T., Shibata, S., Min-Ung, C., Hattori, H., Tanabe, K. and Sanada, Y.
–: see Yokono, T., Shibata, S., Sanada, Y., Hattori, H. and Tanabe, K.
Shimohara, T.: see Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Shou, J. K.: see Wang, Z. and Shou, J. K.
Shukla, C. S.: see Dubey, B. L., Singh, G. and Shukla, C. S.
Siemers, W.: see Köser, H. J. K., Schmalstieg, G. and Siemers, W.
Siffert, B.: see Papirer, E., Bourgois, C., Siffert, B. and Balard, H.
Silver, Howard F., Corry, R. G., Miller, R. L. and Hurtubise, R. J.: Hydroliquefaction of Wyodak coal using bottoms recycle, 111
Singh, G.: see Dubey, B. L., Singh, G. and Shukla, C. S.
Sinha, B. K.: see Sinha, N. C., Sinha, B. K., Roy, T. K. and Krishnan, S.
Sinha, Nikhil C., Sinha, Birendra, K., Roy, Tapan K. and Krishnan, Subbarao: Abrasion characteristics of coals, 000
Sirianni, A. F.: see Majid, A., Sirianni, A. F. and Ripmeester, J. A.
Smidt, J.: see Wind, R. A., Trommel, J. and Smidt, J.
Smith, B. E.: see Awadalla, A. A., Rix, C. J., Shaw, I. M. and Smith, B. E.
–: see Awadalla, A. A. and Smith, B. E.
–: see Cookson, D. J. and Smith, B. E.
Smith, B. F.: see Squires, T. G., Venier, C. G., Hunt, J. D., Shei, J. C. and Smith, B. F.
Snape, Colin E.: Assignment of aliphatic carbon peaks in the ^{13}C n.m.r. spectra of coal liquefaction products, 775
–: Estimation of quaternary and tertiary aromatic carbon in coal liquefaction products by spin-echo ^{13}C n.m.r., 1164
–: see Clarke, J. W., Rantell, T. D. and Snape, C. E.
Snyder, R. W.: see Kuehn, D. W., Snyder, R. W., Davis, A. and Painter, P. C.
Solomon, Peter R. and Carangelo, Robert M.: FTIR analysis of coal. 1. Techniques and determination of hydroxyl concentrations, 663
Sondreal, Everett A., Wilson, Warrack G. and Stenberg, Virgil I.: Mechanisms leading to process improvements in lignite liquefaction using CO and H_2S, 925
Sood, A.: see Given, P. H. and Sood, A.
Soulard, M. R.: see Vargha-Butler, E. I., Soulard, M. R., Hamza, H. A. and Neumann, A. W.
Spiro, Clifford L. and Kosky, Philip G.: Space-filling models for coal. 2. Extension to coals of various ranks, 1080
Squires, Thomas G., Venier, Clifford, G., Hunt, Jacqueline D., Shei, Juliana C. and Smith, Barbara F.: Supercritical solvents. Carbon dioxide extraction of retained pyridine from pyridine extracts of coal, 1170
Srinivasan, Gopalan and Seehra, Mohindar S.: Changes in free radicals in coal-derived pyrites upon heating in N_2, H_2, and vacuum: role of pyrite-pyrrhotite conversion, 1249
–: see Seehra, M. S. and Srinivasan, G.
Stacey, A. E.: see Hartwell, R. R., Stacey, A. E. and Wilkinson, H. C.
Stefanova, M.: see Lazarov, L., Stefanova, M. and Petrov, K.
Steinberg, M.: see Horn, F. L. and Steinberg, M.
Stenberg, V. I.: see Baltisberger, R. J., Patel, K. M., Woolsey, N. F. and Sternberg, V. I.
–: see Sondreal, E. A., Wilson, W. G. and Stenberg, V. I.
Stephens, H. P.: see Thomas, M. G., Padrick, T. D., Stohl, F. V. and Stephens, H. P.
Stock, L. M.: see Alemany, L. B. and Stock, L. M.
–: see Handy, C. I. and Stock, L. M.
–: see Hung, M.-H. and Stock, L. M.
–: see King, H.-H. and Stock, L. M.
Stohl, F. V.: see Thomas, M. G., Padrick, T. D., Stohl, F. V. and Stephens, H. P.
Stompel, Zygmunt J., Bartle, Keith D. and Frere, Bernard: Structural analysis of tars from fluidized-bed pyrolysis of coal. 1. Gas–liquid chromatography of aliphatic and aromatic subfractions, 817
Stroh, J. G.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Subba Rao, B. K.: see Pai Verneker, V. R., Mohana Rao, J. R., Subba Rao, B. K. and Tirunarayanan, M. A.
Sueyasu, M.: see Okamura, S., Sueyasu, M., Fukuda, M., Furujo, S. and Okane, K.
Sullivan, M. J.: see Maciel, G. E., Sullivan, M. J., Petrakis, L. and Grandy, D. W.
Suuberg, Eric M. and Scelza, Sheryl T.: Gas evolution during rapid, low-temperature pyrolysis of a North Dakota lignite, 198
Suzuki, Toshimitsu, Itoh, Maki, Takegami, Yoshinobu and Watanabe, Yoshihisa: Chemical structure of tar-sand bitumens by ^{13}C and ^{1}H n.m.r. spectroscopic methods, 402
Swamy, Y. V.: see Chandra, D., Chakrabarti, J. N. and Swamy, Y. V.
Szevereny, N. M.: see Miknis, F. P., Szevereny, N. M. and Maciel, G. E.

Tahara, T.: see Mochida, I., Iwamoto, K., Tahara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Takegami, Y.: see Inui, T., Hagiwara, T. and Takegami, Y.
–: see Suzuki, T., Itoh, M., Takegami, Y. and Watanabe, Y.
Takeshita, K.: see Mochida, I., Iwamoto, K., Tahara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Matsuoka, H., Korai, Y., Fujitsu, H. and Takeshita, K.
–: see Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.
Talmi, Y.: see Dutta, P. K. and Talmi, Y.
Tanabe, Kozo, Hattori, Hideshi, Yamaguchi, Tsutomu, Yokoyama, Susumu, Umematsu, Junichi and Sanada, Yuzo: Effect of SO_4^{2-} on catalytic activity of Fe_2O_3 for hydrocracking of coal, 389
–: see Yokono, T., Shibata, S., Min-Ung, C., Hattori, H., Tanabe, K. and Sanada, Y.
Tanabe, K.: see Yokono, T., Shibata, S., Sanada, Y., Hattori, H. and Tanabe, K.
Tanaka, N.: see Nakako, Y., Katsushima, S., Oya, S., Okui, T., Matsumura, T., Osawa, T., Saito, K., Mawashima, A. and Tanaka, N.
Tarrer, A. R.: see Barwood, H. L., Curtis, C. W., Guin, J. A. and Tarrer, A. R.
Taylor, G. H., Shibaoka, M. and Liu, Susie: The characterization of huminite macerals, 1197
Taylor, Robert W., Burnham, Alan K., Mallon, Richard G. and Morris, Clarence J.: SO_2 emissions from the oxidation of retorted oil shale, 781
Teo, Khay Chuan, Finora, Sally and Leja, Jan: Oxidation states in surface and buried coal from the Fording River Deposit, 71
Ternan, Marten and Brown, James R.: Hydrotreating a distillate liquid derived from subbituminous coal using a sulphided $CoO–MoO_3–Al_2O_3$ catalyst, 1110
Thomas, Michael G., Padrick, Thomas D., Stohl, Frances V. and Stephens, Howard P.: Decomposition of pyrite under coal liquefaction conditions: a kinetic study, 761
Thorpe, A. N.: see Senftle, F. E., Thorpe, A. N., Alexander, C. C. and Finkelman, R. B.
Tirunarayanan, M. A.: see Pai Verneker, V. R., Mohana Rao, J. R., Subba Rao, B. K. and Tirunarayanan, M. A.
Trommel, J.: see Wind, R. A., Trommel, J. and Smidt, J.
Tucker, W. F.: see Noble, R. D., Tucker, W. F. and Harris, H. G.

Ueda, M.: see Kitaoka, Y., Ueda, M., Murata, K., Ito, H. and Mikami, K.
Ueda, S.: see Yoshida, T., Nakata, Y., Yoshida, R., Ueda, S., Kanda, N. and Maekawa, Y.
Umematsu, J.: see Tanabe, K., Hattori, H., Yamaguchi, T., Yokoyama, S., Umematsu, J. and Sanada, Y.
Urban, David L. and Antal, Michael J. Jr: Study of the kinetics of sewage sludge pyrolysis using DSC and TGA, 799
Utoh, S.: see Yoshii, T., Yaginuma, R., Yoshikawa, H. and Utoh, S.

Vargha-Butler, Eva I., Soulard, Michael R., Hamza, Hassan A. and Neumann, A. Wilhelm: Determination of specific heats of coal powders by differential scanning calorimetry, 437
Varghese, P.: see Derbyshire, F. J., Odoerfer, G. A., Varghese, P. and Whitehurst, D. D.
–: see Derbyshire, F. J., Varghese, P. and Whitehurst, D. D.
Vassallo, A. M.: see Wilson, M. A., Rottendorf, H., Collin, P. J., Vassallo, A. M. and Barron, P. F.
Venier, C. G.: see Squires, T. G., Venier, C.

BEST COPY AVAILABLE
FOR REPRODUCTION

G., Hunt, J. D., Shei, J. C. and Smith, B. F.
Vergamimi, P.: see Benedetti, E., Santini, R., D'Alessio, A. and Vergamimi, P.
Vernon, Lonnie W.: Role of molecular hydrogen in the chemistry of coal liquefaction, 1020
Versluis, K.: see Penninger, J. M. L. and Versluis, K.

Wailes, Peter C.: Upgrading of coal-derived products, 1038
Wainai, T.: see Mashimo, K., Nakayama, I., Kiya, K. and Wainai, T.
Walker, A.: see Patrick, J. W., Reynolds, M. J. and Walker, A.
Walker, P. L. Jr: see Maloney, D. J., Jenkins, R. G. and Walker, P. L. Jr
Wall, T. F.: see Wibberley, L. J. and Wall, T. F.
Wang, Zhaoxiong and Shou, James K.: Recovering heavy coal-derived liquid products by pressure fluid extraction, 1290
Watanabe, Y.: see Suzuki, T., Itoh, M., Takegami, Y. and Watanabe, Y.
Watkinson, A. P.: see Gutierrez, L. A. and Watkinson, A. P.
Webster, D. S.: see Lynch, Leo J. and Webster, D. S.
Weigold, Helmut: Behaviour of Co–Mo–Al_2O_3 catalysts in the hydrodeoxygenation of phenols, 1021
Weinberg, Victoria A. and Yen, Teh Fu: Mesophase formation in coal-derived liquid asphaltene, 383
Weiner, B.: see Lenz, U., Dolkemeyer, W., Ritter, G., Weiner, B. and Wolfrum, E.
Wells, P. R.: see Cotton, J. D., Penrose, J. C. and Wells, P. R.
Whitehurst, Duayne D., Butrill, Sidney E. Jr, Derbyshire, Francis J., Farcasiu, Malvina, Odoerfer, George A. and Rudnick, Leslie R.: New characterization techniques for coal-derived liquids, 994
–: see Derbyshire, F. J., Odoerfer, G. A., Varghese, P. and Whitehurst, D. D.
–: see Derbyshire, F. J., Varghese, P. and Whitehurst, D. D.
Wibberley, Louis J. and Wall, Terry F.: Alkali–ash reactions and deposit formation in pulverized-coal-fired boilers: the thermodynamic aspects involving silica, sodium, sulphur and chlorine, 87
–, –: Alkali–ash reactions and deposit formation in pulverized-coal-fired boilers: experimental aspects of sodium silicate formation and the formation of deposits, 93
Więckowski, A. B.: see Duber, S. and Więckowski, A. B.
Wildeman, T. R.: see Melchior, D. C., Wildeman, T. R. and Williamson, D. L.
Wilkerson, Connie L.: Trace metal composition of Green River retorted shale oil, 63
Wilkinson, A.: see Marsh, H., Wilkinson, A. and Machnikowski, J.
Wilkinson, H. C.: see Hartwell, R. R., Stacey, A. E. and Wilkinson, H. C.
Willey, C.: see Wilson, B. W., Willey, C., Later, D. W. and Lee, M. L.
Williams, A.: see Desypris, J., Murdoch, P. and Williams, A.
Williamson, D. L.: see Giulianelli, J. L. and Williamson, D. L.
–: see Melchior, D. C., Wildeman, T. R. and Williamson, D. L.
Wilson, Bary W., Willey, Cherylyn, Later, D. W. and Lee, Milton, L.: Effect of process distillation on the distribution of amino polycyclic aromatic hydrocarbons in refined coal-derived liquids, 473
Wilson, Michael, A., Collin, Philip J., Pugmire, Ronald J. and Grant, David M.: Relaxation of ^{13}C and ^{15}N nuclei by solvent-refined coal, 959
–, Rottendorf, Horst, Collin, Philip J., Vassallo, Anthony, M. and Barron, Peter F.: Effect of temperature, catalyst and charge gas on the mean chemical structures of the products from hydrogenation of Liddell coal, 321
Wilson, W. G.: see Sondreal, E. A., Wilson, W. G. and Stenberg, V. I.
Wind, Robert A., Trommel, Jan and Smidt, Jaap: Proton dynamic polarization and proton–carbon cross-polarization in coal, 398
Wolfrum, E.: see Lenz, U., Dolkemeyer, W., Ritter, G., Weiner, B. and Wolfrum, E.
Woody, M. C.: see Hagaman, E. W. and Woody, M. C.
Woolsey, N. F.: see Baltisberger, R. J., Patel, K. M., Woolsey, N. F. and Stenberg, V. I.

Yaginuma, R.: see Yoshii, T., Yaginuma, R., Yoshikawa, H. and Utoh, S.
Yamaguchi, T.: see Tanabe, K., Hattori, H., Yamaguchi, T., Yokoyama, S., Umematsu, J. and Sanada, Y.
Yao, T.: see Kamiya, Y., Nagae, S., Yao, T., Hirai, H. and Fukushima, A.
Yevak, R. J.: see Deno, N. C., Jones, A. D., Koch, C. C., Minard, R. D., Potter, T., Sherrard, R. S., Stroh, J. G. and Yevak, R. J.
Yiğinsu, I.: see Yürüm, Y. and Yiğinsu, I.
Yokono, Tetsuro, Shibata, Shigeru, Min-Ung, Chee, Hattori, Hideo, Tanabe, Kozo and Sanada, Yuzo: Dehydrogenation activities of coal liquefaction catalysts on various ranks of coals, 894
–, –, Sanada, Yuzo, Hattori, H. and Tanabe, K.: Assessment of the activities of catalysts for the hydrocracking of coal by means of hydrogen evolution, 199
Yokoyama, S.: see Inoue, K., Yokoyama, S. and Sanada, Y.
–: see Tanabe, K., Hattori, H., Yamaguchi, T., Yokoyama, S., Umematsu, J. and Sanada, Y.
Yoshida, R.: see Yoshida, T., Nakata, Y., Yoshida, R., Ueda, S., Kanda, N. and Maekawa, Y.
Yoshida, Tadashi, Nakata, Yoshinori, Yoshida, Ryoichi, Ueda, Shigeru, Kanda, Nobuyasu and Maekawa, Yosuke: Elucidation of structural and hydroliquefaction characteristics of Yallourn brown coal by carbon-13 CP/MAS n.m.r. spectrometry, 824
Yoshida, T.: see Nomura, M., Yoshida, T., Kikkawa, S. and Philp, P.
Yoshii, Tsuneo, Yaginuma, Rikio, Yoshikawa, Hiroyuki and Utoh, Seiichi: Unusual effects of catechol upon the hydroliquefaction of coal, 865
Yoshikawa, H.: see Yoshii, T., Yaginuma, R., Yoshikawa, H. and Utoh, S.
Young, D. C.: see Cronauer, D. C., McNeil, R. I., Young, D. C. and Ruberto, R. G.
Youngblood, E. L.: see Poutsma, M. L., Youngblood, E. L., Oswald, G. E. and Cochran, H. D.
Youtchef, John S. and Given, Peter H.: Dependence of coal liquefaction behaviour on coal characteristics. 8. Aspects of the phenomenology of the liquefaction of some coals, 980
Yürüm, Yuda and Yiğinsu, Ismail: Depolymerization of Turkish lignites. 3. Effect of ultraviolet radiation, 1138

Zeldes, Henry and Livingston, Ralph: The dissociation constant of bibenzyl measured by e.s.r., 1254
Zingaro, R. A.: see Mohan, M. S., Zingaro, R. A., Macfarlane, R. D. and Irgolic, K. J.

BEST COPY AVAILABLE
FOR REPRODUCTION